

CIBA-GEIGY CORPORATION, FURANE PRODUCTS DIVISION -- EPIBOND 1217 A,FPC 2131 --
8040-00-539-7798

=====
Product Identification
=====

Product ID:EPIBOND 1217 A,FPC 2131

MSDS Date:01/11/1990

FSC:8040

NIIN:00-539-7798

Kit Part:Y

MSDS Number: BPVBG

=== Responsible Party ===

Company Name:CIBA-GEIGY CORPORATION, FURANE PRODUCTS DIVISION

Address:5121 SAN FERNANDO RD WEST

City:LOS ANGELES

State:CA

ZIP:9003

9-1011

Country:US

Info Phone Num:818-247-6210, 800-334-9481

Emergency Phone Num:818-247-6210, 800-334-9481

Preparer's Name:RAJESH S. PATEL

CAGE:99384

=== Contractor Identification ===

Company Name:CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE
POLYMERS

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011

Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

=====
Composition/Information on Ingredients
=====

Ingred Name:BISPHENOL A-DIGLYCIDYLE

TER RESIN

CAS:25068-38-6

RTECS #:KC2100000

Fraction by Wt: 95%

Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA GEL

CAS:112945-52-5

RTECS #:VV7310000

Fraction by Wt: 5%

Other REC Limits:FPC 10 MG/M3

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3

=====
Hazards Identification
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TA

ARGET ORGANS:EYES, SKIN, RESPIRATORY
& GI TRACTS. ACUTE- INHALATION:VAPORS OR MISTS MAY BE HARMFUL IF
INHALED. EYES:MODERATELY IRRITATING. SKIN:SLIGHTLY IRRITATING.
ORAL:POSSIBLY HARMFUL IS SWALLOWED . CHRONIC- CAN CAUSE ALLERGIC
REACTIONS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES AND SKIN IRRITATION

Medical Cond Aggravated by Exposure:ALLERGY, ECZEMA OR SKIN CONDITIONS

===== First Aid Measures =====

First Aid:GET MED

ICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15
MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF
CONSCI OUS, DILUTE BY DRINKING 2 GLASSES OF WATER. GET MEDICAL
ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:489F,254C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY

Fire Fighting Procedures:WEAR FULL PROTECTI

VE CLOTHING AND

NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:DECOMPOSITION AND COMBUSTION PRODUCT MAY
BE TOXIC.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP ALL TRACES OF SPILL. SHOVEL AS MUCH
MATERIAL AS POSSIBLE INTO CLEAN, DRY CONTAINERS. ON HARD SURFACES
USE ABSORBANT MATERIAL TO PICK UP REMAINDER, ON LOOSE SURFACES

SHOVEL UP CONTAMINATED LAY ER.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:MAXIMUM STORAGE TEMPERATURES:95F
(35C). STORE INDOORS IN COOL, DRY AREA WITH ADEQUATE VENTILATION.

Other Precautions:AVOID SKIN CONTACT. MAY CAUSE ALLERGIC REACTION. WASH
EXPOSED AREA THOROUGHLY WITH SOAP AND WATER AFTER HANDLING THIS
MATERIAL. KEEP OUT OF REACH OF CHILDREN. PLEASE READ TECHNICAL DATA
SHEET BEFORE H

HANDLING THE PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED.
WEAR RESPIRATOR (NIOSH-APPROVED) SUITABLE FOR CONCENTRATIONS AND
TYPE OF AIR CONTAMINANTS ENCOUNTERED.

Ventilation:NORMAL ROOM VENTILATION

Protective Gloves:RUBBER OR LATEX

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER AND
EYEWASH FACILITY

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

KEY1=N1. MSDS REPRESENTS PART A OF 2 PART KIT. SEE PNI D THIS NSN/CAGE
FOR PART B OF KIT.

===== Physical/Chemical Properties =====

HCC:F8

NRC/State Lic Num:NOT RELEVANT

Vapor Pres:1 (AIR=1)

Spec Gravity:1.20

Viscosity:SOFT PASTE

Evaporation Rate & Reference: