View NSN Online: https://aerobasegroup.de/nsn/8120-00-268-3362

Product ID:CARBON DIOXIDE (CO\*2): TECHNICAL MSDS Date:08/09/1991 FSC:8120 NIIN:00-268-3362 MSDS Number: BPXWV === Responsible Party === Company Name:SUPERIOR GAS & EQUIPMENT CO INC Address:6 J TIOSEJO ST City:MANDALUYONG, METRO MANILA, PHILIPPINES Info Phone Num:78-49-86 TO 91

Emergency Phone Num:78-49-86 TO 91 Preparer's Name:HESTITUTO T. CHAVEZ CAGE:SGASE === Contractor Identification === Company Name:SUPERIOR GAS & EQUIPMENT CO INC Address:6 J TIOSEJO ST Box:City:MANDALUYONG, METRO MANILA, PHILIPPINES Phone:78-49-86 TO 91 CAGE:SGASE

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;93

\_\_\_\_\_

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HIGH CONCENTRATIONS ARE DANGEROUS DUE TO THEIR EFFECT IN DILUTION OR DEPLETING OXYGEN CONTENT OF AIR. AVOID CONTACT IN SKIN/EYES WITH LIQUID CO\*2 WHICH WILL RESULT IN FROSTBITE. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:HIGH CONCENTRATIONS WILL RESULT IN

ASPHYXIATION. FROSTBITE WILL RESULT IN SKIN & EYES IN CONTACT WITH LIQUID CARBON DIOXIDE. Medical Cond Aggravated by Exposure:WE HAVE NO DATA AVAILABLE. First Aid:INHAL: REMOVE PERSON @ ONCE TO UNCONTAMINATED AREA, APPLY ARTF RESP IMMED IF BREATHING CEASED & CALL PHYS. INGEST: CALL MD IMMED . SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD . EYES : IMMED FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MIN, S EEK ASSISTANCE FROM MD. Flash Point:NONE Lower Limits:NONE Upper Limits:NONE Extinguishing Media: MEDIA SUITABLE FOR SURROUNDING FIRE . Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . NON-FLAMMABLE LIQUIFIED COMPRESSED GAS. KEEP AWAY FROM SOURCES OF HEAT. Unusual Fire/Explosion Hazard: KEEP AWAY FROM SOURCES OF HEAT. ======== Accidental Release Measures ========= Spill Release Procedures: CONTAMINATED AREAS SHOULD BE EVACUATED & DILUTED W/ATMOSPHERIC AIR BY OPENING WINDOWS/OPERATING EXHAUST BLOWERS/VENTILATION FAN. AVOID CONTACT W/LIQUID CARBON DIOXIDE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN WELL VENTILATED AREA AND AWAY FROM SOURCES OF HEAT. Other Precautions: APPROPRIATE WARNING SIGNS OUTSIDE OF AREAS WHERE HIG Н CONCENTRATIONS OF CARBON DIOXIDE GAS MAY OCCUR SHOULD BE AFFIXED. AVOID CONTACT WITH LIQUID CARBON DIOXIDE. Respiratory Protection: NIOSH/MSHA APPROVED GAS MASKS (SELF-CONTAINED TYPE OR WITH OUTSIDE CLEAN AIR SOURCE). Ventilation: LOCAL EXHAUST: ATMOSPHERIC VENTILATION. MECH(GEN): AIR **BLOWER/FAN.** Protective Gloves: HEAVY GLOVES. Eye Protection: CHEM WORK GOG & FULL LENGTH FSHLD. Other Protective Equipment: USE RUB

BER BOOTS OR SAFETY SHOES. Work Hygienic Practices:TAKE SHOWER OR WASH HANDS BEFORE EATING. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Boiling Pt:B.P. Text:-109F,-79C Melt/Freeze Pt:M.P/F.P Text:-70F,-57C Vapor Pres:838PSIG Vapor Density:1.529 Spec Gravity:1.101(H\*2O=1) Solubility in Water:0.169%@68F Appearance and Odor:COLORLESS; NO OBJECTIONABLE ODOR; LIQUID FOAM.

Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:TEMPERATURES ABOVE 120F; DROPPING OF CONTAINER.

Hazardous Decomposition Products:NONE.

Waste Disposal Methods:BRING OUT TO OPEN SPACE DEFECTIVE CONTAINER & RELEASE CONTENTS. DISPOSE OF ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies ):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.