View NSN Online: https://aerobasegroup.de/nsn/6850-00-181-7115

Product ID:FREON(R) T-WD 602 MSDS Date:07/21/1987 FSC:6850 NIIN:00-181-7115 **MSDS Number: BPYDJ** === Responsible Party === Company Name: VAN WATERS AND ROGERS INC Address:1600 NORTON BLVD City:SEATLE State:WA ZIP:98104-1564 Country:US Info Phone Num: CONTACT YOUR LOCAL BRANCH OFFICE **Emergency Phone Nu** m:800-424-9300 CAGE:0STM5 === Contractor Identification === Company Name: VOPAK USA INC Address:6100 CARILLON POINT Box:City:KIRKLAND State:WA ZIP:98033-7357 Country:US Phone:425-889-3400/425-889-3617 CAGE:0STM5

======= Composition/Information on Ingredients ==========

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE CAS:76-13-1 RTECS #:KJ4000000 Fraction by Wt: 91.5% OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL8990 Ozone Depleting Chemical:1

Ingred Name:SURFACTANT Fraction by Wt: 2.5%

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 6%

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 43,000 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE-INHALATION: SUFFOCATION, NARCOSIS, CARDIAC IRREGULARITIES, UNCONSCIOUSNESS OR DEATH. THE SURFACTANT IN THE PRODUCT IS AN EYE IRRITANT. EYE:IR RITATION. SKIN:MAY CAUSE IRRITATION AFTER PROLONGED C ONTACT. INGESTION:LARGE QUANTITIES MAY CAUSE BLINDNESS, UNCONSCIOUSNESS OR DEATH. Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN. Effects of Overexposure: BREATHING HIGH CONCENTRATIONS CAN CAUSE LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH. IRRITATION OF THE SKIN AND EYES. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF **RESPIRATORY DI** SORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. MAINTAIN BREATHING AND DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WI TH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

==

Flash Point:NONE

Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

Spill Release Procedures: ISOLATE AREA. ELIMINATE IGNITION SOURCES. VENTILATE THE AREA. USE SELF-CONTONTAINED BREATHING APPARATUS, RUBBER GLOVES AND BOOTS. STOP LEAK. ABSORB WIT H INERT ABSORBENT AND PLACE IN CONTAINERS FOR DIS POSAL. KEEP OUT OF SEWERS AND STORM DRAINS.

Neutralizing Agent:NONE APPLICABLE FOR THIS MATERIAL

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA.PROTECT CONTAINERS FROM PHYSICAL DAMAGE.STORE CONTAINERS IN A CLEAN AREA.DO NOT HEAT ABOVE 125F.

Other Precautions: EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD

OR EXPOSE TO HEAT, FLAME, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY. EMPTIES ARE SUBJECT TO PROPER WASTE DISPOSAL RE GULATIONS.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. Ventilation: MECHANICAL (GENERAL) VENTILATION IS REQUIRED. LOCAL EXHAUST

MAY BE REQUIRED IF WORK AREA IS NOT VENTED.

Protective Gloves:RUBBER

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT.

Work Hygienic Practices: WASH THROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health NONE

========== Physical/Chemical Pr

operties ==============

HCC:N1 Boiling Pt:B.P. Text:112F,44C Vapor Pres:362 MMHG Vapor Density:2.9 Spec Gravity:1.49 Evaporation Rate & amp; Reference: