View NSN Online: https://aerobasegroup.com/nsn/8040-00-845-4304

DOW CORNING CORP -- CORNING (R) 1200 RTV PRIME COAT/CLEAR -- 8040-00-845-4304 =========== Product Identification =============

Product ID:CORNING (R) 1200 RTV PRIME COAT/CLEAR

MSDS Date:03/07/1994

FSC:8040

NIIN:00-845-4304

MSDS Number: BPYJN === Responsible Party ===

Company Name: DOW CORNING CORP Address: 3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI ZIP:48640 Country:US

Info Phone Num:517-496-6000

Emer

gency Phone Num:800-424-9300(CHEMTREC)/517-496-5900

Preparer's Name: JACK L SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name: DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI ZIP:48611 Country:US

Phone:517-496-4388

CAGE:71984

======= Composition/Information on Ingredients ========

Ingred Na

me:LIGHT ALIPHATIC PETROLEUM SOLVENT NAPHTHA

CAS:64742-89-8 Fraction by Wt: 85%

Other REC Limits: NONE RECOMMENDED

Ingred Name: METHYL CELLOSOLVE ORTHOSILICATE

(TETRA(2-METHOXYETHOXY)SILIANE)

CAS:2157-45-1 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: TETRAPROPYL SILICATE

CAS:682-01-9 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: TETRABUTYL TITANATE

CAS:5593-70-4

RTECS #:XR1585000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

== Hazards Identification ===========

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN:IRRITATES.REP/PROL IRRITATES
SEROUSLY,MAY BURN MILDLY.OVEREXPO MAY INJURE INTERNALLY IF
ABSORBED. INHAL:DROWS,IRRIT NOSE/THROAT,CAUSE INJURY TO
BLOOD/LUNGS/NERV SYS/REPRODUCTIVE ORGANS. INGEST:IN HAL LIQ WHILE
VOMIT CAN INJURE LUNGS SEROUSLY.SMALL AMTS TRANS TO MOUTH BY FINGER

ULD NOT INJURE; LG AMTS INJURE SERIO

Explanation of Carcinogenicity:PER MSDS:CARCINOGENS:NONE KNOWN.
Effects of Overexposure:INHAL:DROWSINESS, IRRITATE NOSE/THROAT,
INJURY:BLOOD/LUNGS/NERVOUS SYS/REPORDUCTIVE ORGANS. SKIN IRRIT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MFG.

First Aid:EYE:IMMED FLUSH W/WATER FOR 15MINS. GET MED ATTN. SKIN:REMOVE & IMMED FLUSH W/WATER FOR 15MINS. GET MED ATTN IF IRRIT OR ILL

EFFECTS DEVELOP/PERSIST. INHAL:REMOVE TO FRESH AIR. GET MED ATTN IF ILL EFE CTS PERSIST. INGEST:GET MED ATTN. DO NOT INDUCE VOMITING. COMMENTS:TREAT ACCORDING TO PERSON'S CONDITION & SPECIFICS OF EXPOSURE.

Flash Point:63.0F,17.2C

Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:SELF-CONTAIN BREATH APPAR & PROT CLOTH SHOULD
BE WORN IN FIGHTINGFIRES INVOLVING CHEM.IF LG AMT IN
VOLVE EVACUATE

AREA.HEAT EXPO PRESS CLSD CNTNR COOL W/WATERSPR
Unusual Fire/Explosion Hazard:VAPOR HEAVIER THAN AIR,CAN TRAVEL ON GRND
TO REMOTE IGNIT SOURCES.STATIC ELEC MAY ACCUMULATE,IGNITE
VAPOR.PREVENT BY BOND/GROUND/INERT GAS PURGE/VAPOR DILUTION.

======== Accidental Release Measures ============

Spill Release Procedures:REMOVE POSSIBLE IGN SOURCES.USE NONSPARK TOOL/EQPMT.STORE RAG/MOP/ABSORBET/ETC USED DURING CLEANUP IN APPROP CNTNRS OR COVERED W/WA

TER TO PREVENT SPONT COMBUST.DETERMINE WHETHER TO EVACUATE/ISOLATE AR EA.MOP/WIPE/SOAK UP W/ABSORBENT.CONTAINFOR(SUPPL)

=========== Handling and Storage ==============

Handling and Storage Precautions:HANDLING:NO SPECIAL PRECAUTIONS.STORAGE:KEEP CNTNR CLSD & AWAY FRM HEAT/SPARKS/OPEN FLAME.KEEP CNTNR CLSD & STORE AWAY FROM WATER OR MOISTURE.

Other Precautions:PROD MAY EVOLVE VAP OF 2-METHOXY ETHANOL/N-BUTYL ALCOHOL/N-PROPYL ALCOHOL WHEN EXPO TO WATER/HUM ID AIR.PROVIDE VENTIL OR RESP PROT.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:USE RESP PROT UNLESS ADEQUATE LOC EXHAUST VENTILATION IS PROVIDED OR AIR SAMPLING DATA SHOW EXPOUSRES ARE W/IN RECOMMENDED EXPOUSRE GUIDELINES.INDUSTRIAL HYGIENE PERS CAN ASSIST IN JUDGING ADEQUACY OF EXISTING ENGINEER CNTRLS.USE IN SPILLS.

Ventilation:LOCAL EXHAUST & GENERAL VENTILATION:RECOMMENDED. Protective Gloves:SILVERSHIELD,BARRICADE,RESPOND

ER, CHEMREL

Eve Protection: CHEMICAL WORKER'S GOGGLES.

Other Protective Equipment:WASHING AT MEALTIME & END OF SHIFT ADEQUATE.
REMOVE CONTAM CLOTHING & SHOES AS SOON AS PRACTICAL & CLEAN BEFORE REUSE.

Work Hygienic Practices: WASH @MEALTIME/END OF SHIFT. CLEAN WELL CONTAMIN CLOTH/SHOES ASAP BEFORE REUSE.

Supplemental Safety and Health

SPILL:SALVAGE/DISP.DIKE.CLEAN SLIPPERY SURFACES BY MOP/SWAB W/SOLVENTS.WASH W/MILD/CAUSTIC DETER OR SOLN OR HI PRESSURE STEMA FOR LG AREAS.NONSILIC

ONES USE INDUSTRIAL CLEAN MATL.OBSERVE SAF
PRECAUT TO CLEAN MATL BEING USED.OBSERVE ALL PERSONAL PROT EQPMT
RECOMMENDATIONS OBSERVE ALL REGS

HCC:F2

Boiling Pt:B.P. Text: 210F, 99C

Vapor Pres: 25 MM Spec Gravity:0.76

Solubility in Water:NONE

Appearance and Odor:LIQUID, COLORLESS, SOLVENT ODOR.

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

OXIDIZING MAT

ERIAL CAN CAUSE A REACTION, MOISTURE OR HUMID AIR.

Stability Condition to Avoid: EXPOSURE TO MOISTURE OR HUMID AIR UNTIL READY TO USE.

Hazardous Decomposition Products:METAL OXIDES,CARBON OXIDES,TRACES OF INCOMPLETELY BURNED CARBON CMPDS.SILICON DIOXIDE,FORMALDEHYDE.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSAL OF COLLECTED PROD/RESIDUE/CLEANUP MATLS MAY BE GOVNT REG.OBSERVE ALL APPLICALBE LOC/STATE/FED WASTE MANAGEMENT REGS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situ

