## View NSN Online: https://aerobasegroup.com/nsn/6810-00-145-2910 PEACOCK LABORATORIES INC -- STANNOUS CHLORIDE DIHYDRATE -- 6810-00-145-2910 Product ID:STANNOUS CHLORIDE DIHYDRATE MSDS Date:11/15/1985 FSC:6810 NIIN:00-145-2910 MSDS Number: BPZGX === Responsible Party === Company Name: PEACOCK LABORATORIES INC Address:54TH ST AND PASCALL AVE City:PHILADELPHIA State:PA ZIP:19143 Country:US Info Phone Num:215-729-4400 Emergency P hone Num:215-729-4400 CAGE:0WD67

=== Contractor Identification ===

Company Name: PEACOCK LABORATORIES INC

Address:54TH ST AND PASCHALL AVE

Box:City:PHILADELPHIA

State:PA ZIP:19143 Country:US

Phone:215-729-4400

CAGE:0WD67

====== Composition/Information on Ingredients ========

Ingred Name: STANNOUS (TIN II) CHLORIDE DIHYDRATE

CAS:10025-69-1 RTECS #:XP8850000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification =============

R

outes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE BURNING IRRITATION OF RESPIRATORY TRACT. CONTACT WITH SKIN AND EYES MAY

CAUSE BURNS OR SEVERE IRRITATION. SWALLOWING MAY CAUSE BURNS TO MOUTH, THROAT, ESOPHAGUS, AND STOMAC H; DIGESTIVE TRACT IRRITATION.

CHRONIC:PROLONGED OR REPEATED CONTACT MAY CAUSE DERMATITIS.

Explanation of Carcinogenicity: STANNOUS CHLORIDE IS NO

T LISTED ON THE

IARC, NTP, OR OSHA LISTS.

Effects of Overexposure: INHALED: COUGHING, CHEST PAIN, SHORTNESS OF BREATH, SORE THROAT. EYES: BURNING SENSATION, PAIN, REDNESS. TEARING, BLURRED VISION. SKIN: REDNESS, SWELLING, BURNS, PAIN. INGESTED: BURNING/PAIN IN MOUTH, THROAT, ESOPHAGUS, AND STOMACH; NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure: PRE-EXISTING RESPIRATORY AND SKIN/EYE DISORDERS MAY BE AGGRAVATED BY EXPOSURE.

========	==========	First /	٩i	
d Measures	==========		===	==

First Aid: INHALED: MOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF BREATHING STOPPED. ADMINISTER OXYGEN IF BREATHING DIFFICULT. GET MEDICAL ATTENTION. EYES: FLUSH WITH LOTS OF WATER 15 MINUTES, HOLD LIDS OPEN . SEE DOCTOR. SKIN: REMOVE CONTAMINATEDCLOTHES. WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, SEE DOCTOR. INGESTED: IF CONSCIOUS, GIVE LOTS OF WATER. GET IMMEDIATE MEDICAL ATTENTION.

 Fire Fighting I	Measures

## Flash Point:NONE

Extinguishing Media: MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard: IRRITATING AND TOXIC GASES ARE PRODUCED ON THERMAL DECOMPOSITION.

 Accidental Release Measures	
 7 TOURGETTAL INCIDAGE INCAGAICS	

Spill Release Procedures: SWEEP OR VACUUM UP SPILLED MATERIAL AND PLACE IN A SECURE, PLASTIC LINED CONTAINER. CONTAIN AND FLUSH SPIL

L AREA WITH WATER. AND NEUTRALIZE WITH SODA ASH. DO NOT FLUSH TO SEWER. AVOID CONTAMINATION OF SURFACE OR GROUND WATERS. Neutralizing Agent: SODA ASH ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN LABELED, TIGHTLY SEALED CONTAINERS IN AN UPRIGHT POSITION IN A COOL, DRY AREA. STORE AWAY FROM INCOMPATIBLE MATERIALS. Other Precautions: KEEP AWAY FROM SPARKS AND OPEN FLAMES. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. PTOTECT CONTAINER FORM DAMAGE. DO NOT USE CONTAINER AS MIXING OR DILUTION VESSLE. DO NOT REUSE CONTAINER FOR ANY P URPOSE. DO NOT REMOVE OR DEFACE LABEL. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF ENGINEERING CONTROLS FAIL; USE NIOSH/MSHA APPROVED RESPIRATOR., AIR-SUPPLIED RESPIRATOR, OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134. Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO **MAINTA** IN EXPOSURE LEVEL BELOW REGULATORY LIMITS. Protective Gloves: PVC, NEOPRENE, OR NITRILE Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER. EXPOSURE MONITORING SHOULD BE DONE REGULARLY. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:C1 ate Lic Num: NOT RELEVANT

NRC/St

Melt/Freeze Pt:=37.8C, 100.F Decomp Temp:=37.8C, 100.F Spec Gravity:2.71 (WATER=1) Solubility in Water: APPRECIABLE

Appearance and Odor: WHITE SOILD CRYSTALS, ODORLESS

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ALCOHOLS. AMINES, NITRATES, ALKALIES, BROMINE TRIFLUORIDE, CALCIUM CARBIDE, ETHYLENE OXIDE, HYDROGEN PEROXIDE.

Stability Condition to Avoid: TEMPERATURES ABOVE 100F; CONTACT WITH **INCOMPATIB** 

LE MATERIALS.

Hazardous Decomposition Products:HYDROGEN CHLORIDE VAPORS AND STANNIC OXIDE ARE FORMED ON THERMAL DECOMPOSITION.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF MATERIAL, CONTAINER, AND WASHINGS IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United St ates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.