

REGIONAL MEDIA LABORATORIES INC. -- 40-059 GRAM SAFRANIN -- 6550-01-317-8517

===== Product Identification =====

Product ID:40-059 GRAM SAFRANIN

MSDS Date:03/05/1991

FSC:6550

NIIN:01-317-8517

MSDS Number: BPZMS

=== Responsible Party ===

Company Name:REGIONAL MEDIA LABORATORIES INC.

Address:12076 SANTA FE DRIVE

Box:14428

City:LENEXA

State:KS

ZIP:66215-3519

Country:US

Info Phone Num:913-888-0939/800-

255-6730

Emergency Phone Num:913-888-0939/800-255-6730

CAGE:7V410

=== Contractor Identification ===

Company Name:REMEL INC

Address:12076 SANTA FE DRIVE

Box:14428

City:SHAWNEE MISSION

State:KS

ZIP:66215-3519

Country:US

Phone:913-888-0939/800-255-6730

CAGE:7V410

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9293

=====

===== Hazards Identification =====

LD50 LC50 Mixture:LD 50 ORAL RAT IS > 7060 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: IRRITATION TO BODY TISSUES,  
CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC: NONE SPECIFIED BY  
MANUFACTURER.

Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT  
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects

Effects of Overexposure:EYES: IRRITATION. SKIN: DRYNESS, DERMATITIS.

INHALATION: UPPER RESPIRATORY IRRITATION, HEADACHE, DROWSINESS,  
TREMOR, FATIGUE, DIZZINESS, NAUSEA, NARCOSIS, MENTAL CONFUSION.

INGESTION: SAME SYMPTOMS AS INHALATION.

Medical Condition Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF EYE,  
SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM  
EXPOSURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY

OF WATER FOR AT LEAST 15 MINUTES. IF

IRRITATION PERSISTS, SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER  
WHILE REMOVING CONTAMINATED CLOTHING. INHALATION: REMOVE VICTIM TO  
FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. SEE DOCTOR. INGESTION: GIVE  
WATER. SEE DOCTOR.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:120F,49C

Lower Limits:3.3

Upper Limits:19.0

Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:

WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. VAPORS HEAVIER THAN  
AIR. CAN TRAVEL ALONG GROUND AND FLASHBACK.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PERSONNEL.ELIMINATE IGNITION SOURCES.  
VENTILATE AREA

EA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. USE  
NON-SPARKING TOOLS. ABSORB IN INERT MATERIAL AND PLACE IN  
APPROPRIATE DISPOSAL CONTAINER AND COVER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND  
INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== E  
xposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS  
APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:MECHANICAL (GENERAL) VENTILATION OR LOCAL EXHAUST  
VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL. USE EXPLOSION-PROOF  
EQ.

Protective Gloves:RUBBER GLOVES.

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING. EYE BATH AND SAFETY  
SHOWER. FUME HOOD.

Work Hygienic Practices:WASH THOROUGH  
LY AFTER HANDLING AND BEFORE  
EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health  
NONE.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:173F,78C

Vapor Pres:40

Vapor Density:1.58

Spec Gravity:0.815

Evaporation Rate & Reference:1.7 (ETHER = 1)

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, WATER LIKE LIQUID. DISTINCT ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Da

ta =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HIGH HEAT, OPEN FLAMES.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,  
INCOMPLETELY BURNED CARBON PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.  
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this in  
formation by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.