View NSN Online: https://aerobasegroup.de/nsn/1377-01-084-2455

WHITTAKER ORDNANCE -- CABLE CUTTER,4588 -- 1377-01-084-2455

=========== Product Identification =============

Product ID:CABLE CUTTER,4588

MSDS Date:10/25/1991

FSC:1377

NIIN:01-084-2455

MSDS Number: BPZTS === Responsible Party ===

Company Name: WHITTAKER ORDNANCE

Address:2751 SAN JUAN ROAD

City:HOLLISTER

State:CA ZIP:95023 Country:US

Info Phone Num:408-637-5851

Emergency Phone Num:800-255-3924 (CHEM-TEL,INC)

Prep

arer's Name:JIM HART

CAGE:IO940

=== Contractor Identification ===

Company Name: UNITED TECHNOLOGIES INC. SIKORSKY AIRCRAFT DIV.

Address:6900 MAIN STREET

Box:7016

City:STRATFORD

State:CT

ZIP:06601-1381 Country:US

Phone:203-386-3791

CAGE:78286

Company Name: WHITTAKER ORDNANCE

Address:2751 SAN JUAN RD

Box:148

City:HOLLISTER

State:CA ZIP:95023 Country:US

Phone: 408-637-5851

CAGE:IO940

======= Composition/Information on Ingredients ========

Ingred Name:ZIRCONIUM

CAS:7440-67-7 RTECS #:ZH70 70000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3/10 MG/M3STEL ACGIH TLV:5 MG/M3/10 MG/M3STEL

Ingred Name: AMMONIUM DICHROMATE (SARA III). OSHA PEL FOR CHROMIC ACID & CHROMATES. ACGIH TLV FOR CR(VI) COMPOUNDS.

CAS:7789-09-5

RTECS #:HX7650000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.1 MG(CRO3)/M3,CEIL

ACGIH TLV:0.05 MG(CR(VI))/M3

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: AMMONIUM PERCHLORATE

CAS:7790-98-9

RTECS #:SC7520000

Other REC Limits: NONE RECOMMENDED

Ingred Name:BARIU

M CHROMATE.OSHA PEL FOR CHROMIC ACID & CHROMATES.ACGIH

TLV FOR CR(VI) COMPOUNDS.

CAS:10294-40-3

RTECS #:CQ8760000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.1 MG(CRO3)/M3,CEIL

ACGIH TLV:0.05 MG(CR(VI))/M3

Ingred Name: CYCLONITE (RDX)

CAS:121-82-4

RTECS #:XY9450000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1.5 MG/M3,SKIN ACGIH TLV:1.5 MG/M3,SKIN

Ingred Name: NITROCELLULOSE

CAS:9004-70-0

RTECS #:QW0970000

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification ====

LD50 LC50 Mixture: NOT KNOWN

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:HAZARDOUS CONSTITUENTS SEALED WITHIN MFR ARTICLE.NO CHEMICAL EXPOSURE UNDER NORMAL HANDLING CONDITIONS EXCEPT WHEN UNIT IS IGNITED.EXPOSURE OF PERSONNEL TO IGNITION OF THIS UNIT MAY RESULT IN PHYSICAL INJURY.

Explanation of Carcinogenicity:CR(VI) CMPD:SUFF EVID FOR CARCIN IN HUMANS & ANIMALS

(IARC,1987).CR & CERTAIN CR CMPD:KNOWN HUMAN CARCINOGEN (SEE SUPP)

Effects of Overexposure:EYES/SKIN/INGESTION/INHALATION:NOT LIKELY ROUTES OF EXPOSURE FOR SEALED HAZARDOUS CONSTITUENTS.INHALATION OF COMBUSTION PRODUCTS COULD IRRITATE RESPIRATORY SYSTEM.CONTACT OF SKIN OR EYES MAY CAUSE IRR ITATION.

Medical Cond Aggravated by Exposure: COMBUSTION PRODUCTS COULD AGGRAVATE EXISTING RESPIRATORY CONDITION.

## Firs

t Aid:FOLLOW APPROPRIATE LOCAL EMERGENCY REACTION PLANS.GIVE FIRST AID APPROPRIATE TO INJURY. INHALATION:IF EXPOSED TO COMBUSTION PRODUCTS,REMOVE TO AREA OF FRESH AIR.SEEK MEDICAL ATTENTION IF NECESSARY.

========= Fire Fighting Measures ===============

Flash Point:NOT KNOWN Lower Limits:NOT KNOWN Upper Limits:NOT KNOWN

Extinguishing Media:NOT EXTINGUISHABLE.MAY BE ACTIVATED BY FIRE IN SURROUNDING PACKAGING OR COMBUSTIBLES.USE MEDIA APPROPRIATE FOR (SEE S

UP)

Fire Fighting Procedures:ONLY FIGHT DIVISION 4 (CLASS C) FIRE FROM A SAFE FIRE-FIGHTING OPERATIONAL DISTANCE.EVACUATE ALL PERSONNEL FROM IMMEDIATE AREA OF FIRE INVOLVING EXPLOSIVES.

Unusual Fire/Explosion Hazard:MOD FIRE HAZ.UNITS,WHEN ACTIVATED,GENERALLY CONTAIN HAZ COMBUST PROD/FRAGMENTS UNDER NORMAL USE.IF FIRE SITUATIONS RELEASE OF TOXIC SMOKE,FLAME MAY BE POSSIBLE.

======== Accidental Release Measures ===========

Spill Release Procedures: IF UNIT

BECOMES DAMAGED SO AS TO EXPOSE SEALED

MATERIAL, CONSULT WITH WHITTAKER ORDNANCE ENGINEERS FOR GUIDANCE.

Neutralizing Agent: NOT KNOWN

=========== Handling and Storage ==============

Handling and Storage Precautions:AUTHORIZE HANDLING ONLY BY TRAINED,QUALIFIED PERS.HANDLE,STORE,TRANSPORT AS CLASS C EXPLOSICE.DO NOT STORE WITH HIGH EXPLOSIVES.KEEP AWAY FROM FIRE.

Other Precautions:KEEP UNIT SHUNTED UNTIL CONNECTION TO CIRCUITRY.NEVER ATTEMPT TO DISASSEMBLE,MACH

INE OR MODIFY UNITS OR PHYSICAL INJURY

MAY RESULT.TEST FIRE UNITS ONLY IN LOCATION ISOLATED FROM PERSONNEL & VENTED TO OUTSIDE WORK AREA. (SEE SUPP DATA)

===== Exposure Controls/Personal Protection ========

Respiratory Protection:IF EXPOSED TO COMBUSTION PRODUCTS,USE A NIOSH APPROVED ORGANIC VAPOR,ACID GAS CARTRIDGE RESPIRATOR WITH DUST FILTERS.IN EMERGENCY FIRE,USE SELF-CONTAINED BREATHING APPARATUS AND FULL FACE PROTECTION I S RECOMMENDED.

Ventilation:LOCA

L EXHAUST TO OUTSIDE ATMOSPHERE.

Eye Protection: SAFETY GLASSES

Other Protective Equipment:FLAME RETARDANT,COTTON CLOTHING.CONDUCTIVE FOOTWEAR OR OTHER PERS GROUNDING RECOMMENDED WHEN HANDLING EXPOSED UNITS.

Work Hygienic Practices:OPERATIONAL SHIELDING & HEARING PROT RECOMMENDED FOR TESTING AS NEEDED.AVOID BREATHING/INGESTION PRODUCTS OF COMBUSTION.

Supplemental Safety and Health

TOTAL NET EXPLO WT:2.05 G/UNIT.EXTING MEDIA:SURROUNDING FIRE CONDTNS IF SAFE.EXPLAN OF CARCIN:(NT

P,1991).CR(VI):KNOWN TO CAUSE CANCER (CAL PROP 65,1987).CERTAIN WATER INSOL CR(VI) CMPDS:ACGIH A1=KNOWN HUMAN CARCIN (1993).OTHER PREC:AVOID PLACING FINGERS IN OPENING TO KNIFE BLADE WHEN HNDL UNITS TO PREVENT AMPUTATION.

======== Physical/Chemical Properties ===========

Boiling Pt:B.P. Text:NOT KNOWN
Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN
Decomp Temp:Decomp Text:NOT KNOWN
Vapor Pres:NOT KNOWN
Vapor Density:NOT KNOWN
Spec Gravity:NOT KNOWN
Evaporation Rate & Evaporation Rate

Reference:NOT KNOWN
Solubility in Water:NOT KNOWN

Appearance and Odor:MANUFACTURED ARTICLE.SEALED ELECTROEXPLOSIVE DEVICE CONTAINS PRESSED MIXTURES.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

FLAMMABLE LIQUIDS, STRONG ACIDS OR BASES.

Stability Condition to Avoid:FLAME,HIGH TEMP,ELECTROSTATIC DISCHARGE,IMPACT,ELECTRICAL CURRENT OR RF ENERGY.

Hazardous Decomposition Products:GASES,FUMES OR RESIDUES:CARBON MONOXIDE,CAR

BON DIOXIDE, NITROGEN OXIDES, NH\*3, HCL, OXIDES OF ZIRCONIUM, BARIUM, CHROMIUM.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:UNIT MAY ONLY BE DISPOSED OF IN ACCORDANCE WITH ALL FEDERAL, STATE, & LOCAL REGULATIONS, AFTER COMPLETE FUNCTIONING BY TEST-FIRING AND/OR THERMAL TREATMENT IN APPROVED, PERMITTED FACILITY.

Disclaimer (provided with this information by the compiling agencies): This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.