View NSN Online: https://aerobasegroup.de/nsn/6850-01-341-9856

CHEVRON ENVIRONMENTAL HEALTH CENTER INC. -- E 36 LRD LIQUID RUNWAY DEICER -- 6850-01-341-9856

Product ID:E 36 LRD LIQUID RUNWAY DEICER MSDS Date:11/08/1991 FSC:6850 NIIN:01-341-9856 MSDS Number: BPZXJ === Responsible Party === Company Name: CHEVRON ENVIRONMENTAL HEALTH CENTER INC. Address:15299 SAN PABLO AVE. Box:4054 City:RICHMOND State:CA ZIP:94804 Country:US In fo Phone Num:510-233-3737 OR 800-346-7237 Emergency Phone Num:415-233-3737 OR 800-457-2022 CAGE:0AHD1 === Contractor Identification === Company Name: CHEVRON ENVIRONMENTAL HEALTH CENTER INC Address:15299 SAN PABLO AVE Box:4054 City:RICHMOND State:CA ZIP:94804 Country:US Phone:800-582-3835 CAGE:0AHD1 Company Name: CRYOTECH DEICING TECHNOLOGY Address:6103 ORTHOWAY Box:City:FT MADISON State:IA ZIP:52627 Country:US Phone:319-372-6012 (ALSO FOR INFO) CAGE:0S095

======= Composition/Information

on Ingredients =========

Ingred Name:ACETIC ACID,POTASSIUM SALT/POTASSIUM ACETATE CAS:127-08-2 RTECS #:AJ3325000 Fraction by Wt: 50% Other REC Limits:NONE RECOMMENDED

Ingred Name:CORROSION INHIBITOR CAS:7632-00-0

Fraction by Wt: 5,000 MG/KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-THIS SUBSTANCE IS SLIGHTLY IRRITATING TO EYES & MAY CAUSE PAIN,TEARS,SWELLING,REDNESS & BLURRE

- D VISION.NOT EXPECTED TO CAUSE SIGNIFICANT SKIN IRRITATION.NO INHALATION HAZARD IS EX[ECTED.CONSIDER ED TO BE PRACTICALLY NON-TOXIC BY INGESTION,BUT MAY CAUSE IRRITATION,NAUSEA,VOMITING & DIARRHEA.CHRONIC-NONE KNOWN.
- Effects of Overexposure: THIS SUBSTANCE IS SLIGHTLY IRRITATING TO EYES & MAY CAUSE PAIN, TEARS, SWELLING, REDNESS & BLURRED VISION. NOT EXPECTED TO CAUSE SIGNIFICANT SKIN IRRITATION. NO INHALATION HAZARD IS EX[ECTED. CONSIDER ED TO BE PRACTICALLY NON-TOXIC BY INGESTION,

BUT MAY CAUSE IRRITATION OF DIGESTIVE TRACT, NAUSEA, VOMITING & DIARRHEA.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING KIDNEY DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR

IF NEEDED. ORAL: IF CONSCIOUS, DRINK WATER/MILK. DONOT MAKE PERSON VOMIT UNLESS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON.

Flash Point:NON-FLAMMABLE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Proced

ures:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING
APPARATUS IF NEEDED.
Unusual Fire/Explosion Hazard: THIS MATERIAL NORMALLY WILL NOT BURN.
HOWEVER, DEHYDRATED RESIDUE WILL BURN.

Spill Release Procedures: THIS PRODUCT IS NOT EXPECTED TO BE TOXIC TO AQUATIC ORGANISMS AND IS NOT EXPECTED TO PRESENT ANY ENVIRONMENTAL PROBLEM. FLUSH THE SPILLS INTO SANITARY DRAIN WITH PLENTY OF WATER IF ALLOWED.

\_\_\_\_\_

Handling and Storage Precautions:STORAGE- STORE AWAY FROM STRONG OXIDIZING AGENTS.

Other Precautions: READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING.

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:SAFETY GOGGLES

RECOMMENDED

Other Protective Equipment: EYE WASH STATION, QUICK DRENCH SHOWER Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

INGESTION OF LARGE AMOUNTS (25 GM OR MORE) OF POTASSIUM SALTS USUALLY CAUSES A PERSON TO VOMIT. IF NO KIDNEY PROBLEM, THE SALT IS RAPIDLY EXCRETED IN THE URINE. PERSONS WITH KIDNEY DISFUNCTIONS, CHILD REN AND THOSE WHO HAVE CARDIAC DISFUNCTION MAY EXPERIENCE SLOWER HEART BEAT, R

EDUCED BLOOD PRESSURE AND CARDIAC ARREST.

HCC:N1 Boiling Pt:B.P. Text: 212F,100C Melt/Freeze Pt:M.P/F.P Text: