View NSN Online: https://aerobasegroup.de/nsn/3439-01-343-1611

GARDINER SOLDER CO DIV OF GARDINER METAL CO -- 181 XM-200 CORE TIN/LEAD/ANTIMONY

ALLOY -- 3439-01-343-1611

Product ID:181 XM-200 CORE TIN/LEAD/ANTIMONY ALLOY

MSDS Date: 08/01/1992

FSC:3439

NIIN:01-343-1611

MSDS Number: BPZXK === Responsible Party ===

Company Name: GARDINER SOLDER CO DIV OF GARDINER METAL CO

Address: 4820 S CAMPBELL AVE

City:CHICAGO

State:IL ZIP:6063 2-1416

Country:US

Info Phone Num:312-847-0100

Emergency Phone Num:312-847-0100(CHEMTREC 800-424-9300)

CAGE:56244

=== Contractor Identification ===

Company Name: GARDINER SOLDER CO, DIV OF GARDINER METAL CO

Address:4820 S CAMPBELL AVE

Box:City:CHICAGO

State:IL

ZIP:60632-1416

Country:US

Phone:312-847-0100/800-424-9300(CHEMTREC)

CAGE:56244

======= Composition/Information on Ingredients ========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: 5-94.8%

Other

REC Limits:NONE RECOMMENDED OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9293

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:TIN

CAS:7440-31-5 RTECS #:XP7320000

Fraction by Wt: 5-94.8%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9293

Ingred Name: ANTIMONY (SARA III)

CAS:7440-36-0

RTECS #:CC4025000 Fraction by Wt: .2-2%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.5 MG/M3

N ACID CAS:8050-09-7 Other REC Limits: NONE RECOMMENDED Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic: ACUTE: HEALTH STUDIES HAVE SHOWN THAT POTENTIAL HEALTH RISKS MAY VARY BY INDIVIDUAL. ALWAYS MINIMIZE EXPOSURE AS A PRECAUTION. CHRONIC: NONE SPECIFIED BY MANUFACTURER. SEE OSHA SUBPART Z(29CFR)(1910.1 025). Explanation of Carcinogenicity:LEAD IS LISTED BY IARC AS A POTENTIAL CARCINOGEN. Effects of Overexposure: METALLIC TASTE IN MOUTH, COUGHING, SNEEZING, WHEEZING, SHORTNESS OF BREATH. Medical Cond Aggravated by Exposure: RESPIRATORY/LUNG CONDITIONS First Aid:INHALED: MOVE TO FRESH AIR. SUPPORT RESPIRATION IF REQUIRED. SEEK MEDICAL HELP. EYES: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: FLUSH WITH WATER. INGESTED: IF C ONSCIOUS, DRINK LARGE AMOUNT OF WATER, SEEK MEDICAL ATTENTION. ============ Fire Fighting Measures ========================= Flash Point: NON-FLAMMABLE Extinguishing Media: DRY SAND, DRY CHEMICAL. DO NOT USE WATER! Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE ========= Accidental Release Measures ================ Spill Release Procedures: COLLECT AND USE, IF CONTAMINATED OR IN SMALL PARTICLES, VACUUM OR COLLECT AND PLACE IN A CONTAINER FOR LATER DISPOSAL. DO NOT GENERATE DUST. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============= Handling and Storage ========================== Handling and Storage Precautions: AVOID CONTACT WITH DUST AND FUMES. Other Precautions: NONE SPECIFIED BY MANUFACTURER. ====== Exposure Controls/Personal Protection ========

Respiratory Protection: DURING SOLDERING- USE NIOSH/MSHA APPROVED RESPIRATOR, OR SUPPLIED AIR RESPIRATOR, OR SCBA, A

IN ACCORDANCE WITH 29 CFR 1910.134. Ventilation:LOCAL EXHAUST IS RECOMMENDED/PREFFERRED. Protective Gloves:HEAT RESISTANT DURING SOLDERING Eye Protection:GOGGLES OR FACE SHIELD DURING SOLDERING Other Protective Equipment:AS REQUIRED TO AVOID CONTACT. Work Hygienic Practices:FOLLOW GOOD INDUSTRIAL HYGIENE PRACTICES. Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:2516F,1380C Melt/Freeze Pt:M.P/F. P Text:361F,183C Vapor Pres:1 MM HG Solubility in Water:NEGLIGIBLE Appearance and Odor:SILVER-GREY SOLID; ODORLESS
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE Hazardous Decomposition Products:TOXIC METAL FUMES ABOVE 1832F.
====== Disposal Considerations ==========
Waste Disposal Methods:DO NOT DISPOSE OF IN REGULAR TRASH. HOLD FOR RECYCLIN G OR DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respo

nsibility for the suitability of this information to their particular situation.	