

DEXTER CORPORATION, ADHESIVES & STRUCTURAL MAT'L -- EPK 0615 PART B --
8040-01-124-9736

===== Product Identification =====

Product ID:EPK 0615 PART B

MSDS Date:12/19/1988

FSC:8040

NIIN:01-124-9736

Kit Part:Y

MSDS Number: BQCWN

=== Responsible Party ===

Company Name:DEXTER CORPORATION, ADHESIVES & STRUCTURAL MAT'L

Address:ONE DEXTER DRIVE

City:SEABROOK

State:NH

ZIP:03874

Country:US

Info Phone Num:

603-474-5541

Emergency Phone Num:603-926-0910

Preparer's Name:DR SHELDON CLARK

CAGE:79436

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282

Country:US

Phone:626-968-6511

CAGE:79436

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

===== Composition/Information

on Ingredients =====

Ingred Name:TALC (FILLER PARTICLES WETTED BY VEHICLE SO AIRBORNE EXPOSURE DOESNT OCCUR UNLESS MAT'L GROUND/MACHINED/SANDED)
CAS:14807-96-6
RTECS #:WW2710000
Other REC Limits:NONE SPECIFIED
OSHA PEL:2 FIBERS/CC
ACGIH TLV:2 FIBERS/CC

Ingred Name:SILICA, AMORPHOUS (FILLER PARTICLES WETTED BY VEHICLE SO AIRBORNE EXPOS DOESNT OCCUR UNLESS CURED/GRND/MACHINED/SANDED)
CAS:112945-52-5
RTECS #:VV7310000
Other REC Limits:NONE SPECIFIED
OSHA PEL:20 MPPCF

Ingred Name
:QUARTZ, TOTAL DUST (FILLER PARTICLES WETTED BY VEHICLE SO AIRBORNE EXPOS DOESNT OCCUR UNLESS CURED/GRND/MACHIND/SANDED)
CAS:14808-60-7
RTECS #:VV7330000
Other REC Limits:* BY %SIO2+2
OSHA PEL:SEE TABLE Z3
ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name:2,4,6-TRI(DIMETHYLAMINOMETHYL) PHENOL
CAS:90-72-2
RTECS #:SN3500000
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

===== First Aid Measures =====

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL, OR HAND CLEANER. DO NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION PERSISTS, SEE PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>200F,>93C
Extinguishing Media:DRY CHEMICAL OR HALON FIRE

EXTINGUISHER, WATER
SPRAY, FOAM OR FOG

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN
FIGHTING FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASSES MAY BE
LIBERATED.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP AND TRANSFER TO METAL CONTAINER.
WIPE UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT
FLAMMABILITY CAUTIONS OR USE DETERGENT.

=====
Handling and Storage =====

Handling and Storage Precautions:KEEP COOL IN ACCORDANCE WITH LABEL
INSTRUCTIONS.

Other Precautions:FOLLOW RECOMMENDED CURING SCHEDULE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED WITH GOOD INDUSTRIAL VENTILATION;
ORGANIC RESPIRATOR.

Ventilation:LOCAL EXHAUST RECOMMENDED, MECHANICAL ACCEPTABLE

Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:1.62

Solubility in Water:SLIGHT

Appearance and Odor:WHITE, VISCOUS LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS AND
UNDETERMI

NED ORGANICS.

Conditions to Avoid Polymerization: AVOID MIXING RESIN & CURING AGENT IN BATCHES >1 LB TOTAL. DONT HEAT MAT'L UNLESS CURING SURFACE TO BE BONDED.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT HAZARD CLASS. IF NOT REGULATED BY DOT DISPOSE OF AS ORM-E. DISPOSAL METHOD CAN BE LAND BURIAL OR CHEMICAL INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.