View NSN Online: https://aerobasegroup.com/nsn/9150-00-189-6729

CHEVRON ENVIRONMENTAL HEALTH CENTER INC. -- CHEVRON DELC 400 MOTOR OIL SAE 10W -- 9150-00-189-6729

Product ID:CHEVRON DELC 400 MOTOR OIL SAE 10W

MSDS Date:05/11/1985

FSC:9150

NIIN:00-189-6729

MSDS Number: BQDHG === Responsible Party ===

Company Name: CHEVRON ENVIRONMENTAL HEALTH CENTER INC.

Address:15299 SAN PABLO AVE.

Box:4054

City:RICHMOND

State:CA

ZIP:94804-00

54

Country:US

Info Phone Num:415-233-3737

Emergency Phone Num:415-233-3737, 800-457-2022

CAGE:0AHD1

=== Contractor Identification ===

Company Name: CHEVRON ENVIRONMENTAL HEALTH CENTER INC

Address:15299 SAN PABLO AVE

Box:4054

City:RICHMOND

State:CA ZIP:94804 Country:US

Phone:800-582-3835

CAGE:0AHD1

======= Composition/Information on Ingredients ========

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PARAFFINIC. INGREDIENT #1 + #2 + #3 = 88%

CAS:64742-65-0

RTECS #:PY8038500

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name: DISTILLATES, CLAY-TREATED HEAVY PARAFFINIC.

INGRED #1 + #2 + #3 = 88%

CAS:64742-36-5

Other REC Limits: NONE RECOMMENDED

OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name: DISTILLATES, HYDROTREATED HEAVY PARAFFINIC.

INGRED #1 + #2 + #3 = 88%

CAS:64742-54-7

RTECS #:PY8035500

Other REC Limits: NONE RECOMMENDED

OSHA PEL:300 PPM ACGIH TLV:300 PPM IBITORS, DISPERSANTS, CALCIUM
PHENATE INGRED #4 + #5 = 12%
Other REC Limits:NONE RECOMMENDED
Ingred Name:ZINC ALKYLDITHIOPHOSPH

Ingred Name:ZINC ALKYLDITHIOPHOSPHATE. INGRED #4 + #5 = 12%.

CAS:68649-42-3

Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-INGESTION:LOW TOXICITY. MAY

CAUSE GI TRACT IRRITATION. INHALATION:IN

HALATION OF

MIST/VAPORS/FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION. SMALL AMOUNT ASPIRATED INTO LUNGS MAY CAUSE CHEMICAL PNE UMONITIS. EYE:IRRITATION. SKIN:REPEATEDCONTACT MAY CAUSE IRRITATION. CHRONIC:DERMATITIS, OIL ACNE OR FOLLICULITIS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES:REDNESS OR IRRITAION, SKIN:DRYNESS, FLAKING. INGESTION:DIARRHEA. INHALATION OF MIST/VAPORS:COUGHING OR DIFFICULTY IN BREATHING.

Medical Cond Aggravated by Exposure: SKIN DISEASES.

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION:REMOVE TO FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION. EYE:I MMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION:GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NOTHING BY MOUTH IF UNC

ONSCIOUS.

======== F	Fire Fighting	Measures	
------------	---------------	----------	--

Flash Point Method:COC

Flash Point:401F,205C

Extinguishing Media: CO2, DRY CHEMICAL, FOAM OR WATER FOG

Fire Fighting Procedures: WEAR PROPER PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

======== Accidental Release Measures ===========

Spill Release Procedures

STOP SOURCE OF LEAK OR RELEASE. CLEAN UP	
SPILLS USING APPROPRIATE TECHNIQUES SUCH AS ABSORBING MATERIALS O	R
PUMPING. REMOVE CONTAMINATED SOIL. CONTAIN LIQUID TO PREVENT	
FURTHER CONTAMINATION OF SOIL, SURFACE WATER OR GROUNDWATER.	

=========== Handling and Storage ============================

Handling and Storage Precautions:STORE AWAY FROM FLAMES.
Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE,
CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY,
OR OTHER

SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES.

Ventilation: ADEQUATE TO KEEP