View NSN Online: https://aerobasegroup.de/nsn/6550-01-113-4658

DIFCO LABORATORIES -- GRAM IODINE 3331 -- 6550-01-113-4658

Product ID:GRAM IODINE 3331

MSDS Date:03/01/1990

FSC:6550

NIIN:01-113-4658

MSDS Number: BQDPP === Responsible Party ===

Company Name: DIFCO LABORATORIES

Address:920 HENRY ST

Box:331058 City:DETROIT

State:MI

ZIP:48201-2532

Country:US

Info Phone Num:800-521-0851/313-462-8500

Emergency Phone Num:800-521-0851/

313-462-8500

Preparer's Name: ELLEN M BERNARD

CAGE:04487

=== Contractor Identification ===

Company Name: DIFCO LABORATORIES FORMERLY ON HENRY ST, DETROIT, MI

Address:17197 N LAUREL PARK DR SUITE 400

Box:City:LIVONIA

State:MI

ZIP:48152-2532 Country:US

Phone:313-462-8671

CAGE:04487

======= Composition/Information on Ingredients ========

Ingred Name: IODINE

CAS:7553-56-2


RTECS #:NN1575000 Fraction by Wt: 26.7%

Other REC Limits: NONE SPECIFIED

OSHA PEL:C 0.1 PPM

ACGIH TLV:C 0.1 PPM; 9192

Ingred Name:POTASSIUM IODIDE (TOXIC) LD50:ORAL 1862 MG/KG (MOUSE) CAS:7681-11-0
RTECS #:TT2975000 Fraction by Wt: 53.3%
Other REC Limits:NONE SPECIFIED
======================================
LD50 LC50 Mixture:14 MG/KG (ORAL LD50 RATS 100% IODINE)
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SWALLOWING IODINE MAY CAUSE VOMITING,
ABDOMINAL PAINS AND DIARRHEA. DEATH M AY RESULT. IODINE IS A SEVERE
IRRITANT OF THE GASTRIC & RESPIRATORY MUCOSA AND TO A LESSER EXTENT
THE SKIN. IODINE MAY CAUSE EYE BURNS. MFR IDENTIFIES INGESTION AS A PRIMARY ROUTE OF ENTRY.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA. Effects of Overexposure: VOMITING, ABDOMINAL PAINS, DIARRHEA, DEATH,
IRRITATION OF MUCOUS MEMBRANES, SKIN IRRITATION, EYE
IRRITATION/BURNS. Medical Cond Aggravated b
y Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:POISON: CALL PHYSICIAN. INGESTION: INDUCE VOMITING
IMMEDIATELY BY GIVING TWO GLASSES OF WATER AND STICKING FINGER DOWN THROAT. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.
SKIN/EYES: IMMEDIATEL Y FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.
REMOVE CONTAMINATED SHOES AND CLOTHING. CALL A PHYSICIAN. INHALATION: REMOVE VICTIM TO FRESH AIR. CONTACT A PH
YSICIAN IF
IRRITATION PERSISTS.
======================================
Flash Point:NONFLAMMABLE
Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN
Extinguishing Media:NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND PROTECTIVE CLOTHING TO AVOID CONTACT.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
========== Accidental Release Measures ===========
Spill Rele



POWDERED ALUMINUM, AND OTHER REACTIVE METALS MAY CAUSE FIRE AND EXPLOSION.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

======= Disposal Considerations ===========

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (pro

vided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.