

FISHER SCIENTIFIC CO CHEMICAL DIV. -- CHROMERGE -- 6810-00-890-2052

=====
Product Identification
=====

Product ID:CHROMERGE

MSDS Date:02/11/1994

FSC:6810

NIIN:00-890-2052

MSDS Number: BQGPT

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC CO CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100 OR 201

-796-7523

Preparer's Name:NONE

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====
Composition/Information on Ingredients
=====

Ingred Name:CHROMIUM TRIOXIDE (CHROMIC ANHYDRIDE)

CAS:1333-82-0

RTECS #:GB6650000

Fraction by Wt: 50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.1 MG (CRO3)/M3

ACGIH TLV:0.05 MG (CR)/M3 (A1)

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 50%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) = 80 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE RESPIRATORY TRACT
IRRITATION, TRACHEOBRONCHITIS, CENTRAL NERVOUS SYSTEM EFFECTS, SKIN
BURNS, EYE BURNS, FULMINATING GASTROENTERITIS
Explanation of Carcinogenicity:CONTAINS CHROMIUM WHICH IS CLASSIFIED AS
A KNOWN HUMAN CARCINOGEN BY NTP AND GROUP 1 BY IARC.
Effects of Overexposure:RESPIRATORY TRACT IRRITATION, COUGH, SORE
THROAT, CHEST PAIN, LIGHTEADEDNESS, HEADACHE, SINUSITIS,
LARYNGITIS, SNEEZING, RHINORRHEA, WHEEZING, DYSPNEA, PULMONARY
EDEMA, ANOREXIA, FEVER, SKIN CORROSION AND BURNS, EYE CORROSION,
EYE PAIN, BLURRED VISION, SEVERE EYE BURNS, NAUSEA, VOMITING,
THIRST, VERTIGO, OLIGURIA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP
WARM AND QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA
THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL
ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.
GET MEDICAL ATTENTION. INGESTION: REMOVE BY GASTRIC LAVAGE OR
EMESIS IF CONSCIOUS. GET MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:WATER ONLY
Fire Fighting Procedures:MOVE CONTAINER FROM FIRE AREA IF CAN DO SO
WITHOUT RISK. APPLY COOLING WATER TO SIDES OF CONTAINERS THAT ARE
EXPOSED TO FLAMES UNTIL WELL AFTER FIRE IS OUT.
Unusual Fire/Explosion Hazard:AVOID BREATHING CORROSIVE VAPORS. KEEP
UPWIND. STAY

Y AWAY FROM ENDS OF TANKS.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP COMBUSTIBLES AWAY FROM SPILLED MATERIAL.
DO NOT TOUCH SPILLED MATERIAL. STOP LEAK IF CAN DO SO WITHOUT RISK.
TAKE UP WITH SHOVEL AND PLACE INTO CONTAINERS FOR DISPOSAL.

Neutralizing Agent:AGRICULTURAL LIME, SLAKED LIME, CRUSHED LIMESTONE OR
SODIUM BICARBONATE.

===== Handling and Storage =====

Handling and Storage Precautio

ns:PROTECT AGAINST PHYSICAL DAMAGE. STORE

IN COOL, DRY, WELL VENTILATED PLACE, AWAY FROM ANY AREA WHERE THE
FIRE HAZARD MAY BE ACUTE.

Other Precautions:STORE AWAY FROM INCOMPATIBLE SUBSTANCES. MAY IGNITE
COMBUSTIBLES (WOOD, PAPAER, OIL, ETC.). AVOID CONTACT WITH EYES AND
SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION
EXOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS P
ER

CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR
SELECTION.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION SYSTEM TO MEET PUBLISHED
EXPOSURE LIMITS.

Protective Gloves:RECOMMENDED

Eye Protection:SPLASH PROOF GOGGLES

Other Protective Equipment:EYE WASH FOUNTAIN, QUICK DRENCH SHOWER IN
IMMEDIATE WORK AREA. PROTECTIVE CLOTHING AS NECESSARY TO PREVENT
SKIN CONTACT.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DR
INKING OR SMOKING.

Supplemental Safety and Health

REMOVE CONTAMINATED CLOTHING, SHOES IMMEDIATELY.

===== Physical/Chemical Properties =====

HCC:C3

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:1.5

pH:< 7

Evaporation Rate & Reference:1 (ETHER = 1)

Solubility in Water:COMPLETE

Appearance and Odor:DARK RED-BROWN LIQUID

===== Stability and Reactivity Data =====

=

Stability Indicator/Materials to Avoid: YES

CONTACT WITH EASILY OXIDIZABLE MATERIALS, ALCOHOLS, ALKALIES, ALUMINUM, CAMPHOR, ACETATES

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: TRIVALENT CHROMIUM OXIDE AND OXYGEN WHICH INCREASES THE FIRE HAZARD.

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.