View NSN Online: https://aerobasegroup.de/nsn/4130-00-908-0452

CALLERY CHEMICAL CO DIV MINE SAFETY APPLIANCES CO -- POTASSIUM SUPEROXIDE -- 4130-00-908-0452

Product ID:POTASSIUM SUPEROXIDE

MSDS Date:11/15/1985

FSC:4130

NIIN:00-908-0452

MSDS Number: BQKJM === Responsible Party ===

Company Name: CALLERY CHEMICAL CO DIV MINE SAFETY APPLIANCES CO

Box:429

City:PITTSBURGH

State:PA ZIP:15230 Country:US

Info Phone Num:412-538-3510

Fm

ergency Phone Num:412-538-3510

CAGE:0HJN2

=== Contractor Identification ===

Company Name: CALLERY CHEMICAL CO DIV MINE SAFETY APPLIANCES CO

Box:City:PITTSBURGH

State:PA ZIP:15230 Country:US

Phone:412-538-3510

CAGE:0HJN2

======= Composition/Information on Ingredients ========

Ingred Name:POTASSIUM DIOXIDE

CAS:12030-88-5 RTECS #:TT6053000 Fraction by Wt: 100%

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YE

BREATHING DUST. AVOID CAUSTIC MIST/SOLUTION.

Other Precautions: DON'T GET IN EYES, SKIN OR ON CLOTHING.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH/MSHA APPROVED FILTER-TYPE RESPIRATOR Ventilation: ADEQUATE

Protective Gloves: CHEMICAL RESISTANT, NEOPRENE, VINYL

Eve Protection: CHEMICAL GOGGLES, FACEHSHIELD

Other Protective Equipment: WATER IMPERVIOUS CLOTHING, RUBBE

R GLOVES,
RUBBER BOOTS, EYE WASH STATION & SHOWERS
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES
BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
========== Physical/Chemical Properties ============
Solubility in Water:REACTS VIGOUROUSLY
Appearance and Odor:CANARY YELLOW SOLID, EITHER FINE POWDER OR GRANULES W/NO ODOR
========= Stability and Reactivity Data ===========
Stability Indicator/Materials
to Avoid:YES
STRONG OXIDIZERS, ORGANICS INCLUDING FUELS, SOLVENTS, GREASES, & LUBRICANTS
Stability Condition to Avoid:WATER
======== Disposal Considerations ============
Waste Disposal Methods: IN WELL-VENTILATED AREA (HOOD W/SCRUBBER

Waste Disposal Methods:IN WELL-VENTILATED AREA (HOOD W/SCRUBBER PREFERRED), SPRAY W/PLENTY OF WATER. FOAMING WILL OCCUR & OXYGEN GAS & CAUSTIC MIST WILL BE GENERATED. NEUTRALIZE SOLUTION BEFORE DISPOSAL. DISPOSE IN ACCORDAN CE W/FEDERAL, STATE, & LOCAL REGULATIONS.

## Disclaimer (provi

ded with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.