

COURTAULDS AEROSPACE INC -- PR-1337,CLASS B -- 8030-01-028-4336

=====
Product Identification
=====

Product ID:PR-1337,CLASS B

MSDS Date:01/01/1987

FSC:8030

NIIN:01-028-4336

Kit Part:Y

MSDS Number: BQKJS

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:21800 BURBANK BLVD 3RD FLOOR

Box:4226

City:WOODLAND HILLS

State:CA

ZIP:91365-4226

Country:US

Info Phone Num:818-702-7439

Eme

rgency Phone Num:818-702-7439

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD PEROXIDE, LEAD DIOXIDE

CAS:1309-60-0

RTECS #:OG0700000

Fraction by Wt: 7%

OSHA PEL:50 UG/CUM

ACGIH TLV:0.15 MG/CUM

=====
Hazards Identific

ation =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: IRRITATION. HARMFUL ABSORPTION.
Explanation of Carcinogenicity:NONE

===== First Aid Measures =====

First Aid:SKIN: WASH THOROUGHLY W/SOAP & WATER. EYES: FLUSH IMMEDIATELY
W/LARGE AMOUNTS OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measure
S =====

Flash Point Method:PMCC
Flash Point:>200F
Extinguishing Media:USE ANY EXTINGUISHER APPROVED FOR CL. B FIRES.
Unusual Fire/Explosion Hazard:EMISSION OF POTENTIALLY TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP EXCESS W/PAPER TOWELS OR RAGS; CLEAN
AREA W/METHYL ETHYL KETONE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS IN DRY,
SHELTERED AREA.
Other Precautions:THE ACCELERATOR CONTAINS A LEAD COMPOUND WHICH MAY BE
ABSORBED THROUGH BREAKS IN THE SKIN.

===== Exposure Controls/Personal Protection =====

Ventilation:ADEQUATE TO MINIMIZE VAPORS.
Protective Gloves:POLY OR PROTECTIVE HAND CREAM
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:1.53
Viscosity:150P #6@10RPM
Solubility in Water:l

NSOLUBLE

Appearance and Odor:BROWN PASTE, SLIGHT SULFIDE ODOR.

Percent Volatiles by Volume:0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:OXIDES OF SULFUR; HYDROGEN SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF CURED MATERIAL IN NORMAL TRASH.

Disclaimer (provided with this information by the compiling agencies):

This informatio

n is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.