View NSN Online: https://aerobasegroup.de/nsn/6750-00-965-4846

CLAYTON CHEMICAL CO. -- 1072 FIXER HARDENER PART B 176-060C/T -- 6750-00-965-4846

Product ID:1072 FIXER HARDENER PART B 176-060C/T

MSDS Date:06/15/1987

FSC:6750

NIIN:00-965-4846

Kit Part:Y

MSDS Number: BQKQM === Responsible Party ===

Company Name: CLAYTON CHEMICAL CO.

Address:13310 FIGUEROA STREET

City:LOS ANGELES

State:CA ZIP:90061 Country:US

Info Phone Num:310-5

38-9530

Emergency Phone Num:310-538-9530 Preparer's Name:JOHN B. TAYLOR

CAGE:61803

=== Contractor Identification ===

Company Name: CLAYTON CHEMICAL CO. Address: 13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA ZIP:90061 Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

======= Composition/Information on Ingredients ========

Ingred Name: ALUMINUM SULFATE (SARA III)

CAS:10043-01-3 RTECS #:BD1700000 Fraction by Wt: 41% %

Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/

M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========== Hazards Identification ===========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MATERIAL IS A CORROSIVE ACID SOLUTION AND WILL CAUSE IRRITATION AND BURNS TO EYES, SKIN, RESPIRATORY TRACT AND GASTROINTESTINAL TRACT. INGESTION WILL RESULT IN BURNS TO THE MOUTH, THROAT, AND GASTROIN TEST

INAL TRACT. CHRONIC: PROLONGED

EXPOSURE MAY LEAD TO DELAYED EFFECTS INCLUDING SCARRING AND INFECTION OF LIVER/KIDNEY

Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYE AND SKIN BURNS DEVELOP IMMEDIATELY. INGESTION MAY CAUSE ABDOMINAL PAIN, NAUSEA, VOMITING, HEMORRAGING, AND PERFORATION OF ORGANS.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY D

ISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

======================================	====
--	------

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AFFECTED AREA WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OX YGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF VICTIM IS NOT BREATHING. INGESTION: DO NOT INDUCE VOMITING. GIVE VICTIM LARGE AMOUNTS

OF WATER TO DILUTE MATERIAL. GET MEDICAL ATTENTION.


=======================================	Fire	Fighting	Measures	=======================================
---	------	----------	----------	---

Flash Point: NONFLAMMABLE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL AS APPROPRIATE FOR SURROUNDINGS.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT O



Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products NONE SPECIFIED BY MANUFACTURER

vity Data ========

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This informatio

n is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.