View NSN Online: https://aerobasegroup.de/nsn/6550-01-287-0630

## SERONO BAKER DIAGNOSTICS -- HAEM-QC REFERENCE AND CONTROL -- 6550-01-287-0630

Product ID:HAEM-QC REFERENCE AND CONTROL

MSDS Date:01/20/1992

FSC:6550

NIIN:01-287-0630

MSDS Number: BQKVJ === Responsible Party ===

Company Name: SERONO BAKER DIAGNOSTICS

Address:100 CASCADE DR

City:ALLENTOWN

State:PA ZIP:18103 Country:US

Info Phone Num:215-264-2800

Emergency Phone Num:

800-345-3127 CAGE:IO006

=== Contractor Identification ===

Company Name: SERONO BAKER DIAGNOSTICS

Address:100 CASCADE DR

Box:2168

City:ALLENTOWN

State:PA

ZIP:18001-2168

Country:US

Phone:215-264-2800

CAGE:IO006

Company Name: SERONO-BAKER DIAGNOSTICS INC SUB OF ARES-SERONO

Address:100 CASCADE DRIVE

Box:2168

City:ALLENTOWN

State:PA

ZIP:18001-2168 Country:US

Phone:215-264-2800

CAGE:60851

====== Composition/Information on Ingredients ========

Ingred Name: HUMAN BLOOD CELLS IN SYNTHETIC ME

Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED
========== Hazards Identification ============
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY BE HARMFUL IF SWALLOWED IN LARGE QUANTITIES. CONTACT WITH EYES MAY CAUSE TRANSIENT IRRITATION. LOW HAZARD FOR SKIN CONTACT/ABSORPTION AND INHALATION. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATI ON OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  Effects of Overexposure:SWALLOWED: NONE SPECIFIED BY MANUFACTURER.  EYES: REDNESS, DISCOMFORT.
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALED: MOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR IF IRRITATION DEVELOPS. SKIN: WASH WITH LOTS OF SOAP AND WATER. IF SYMPTOMS DEVELO P, SEE DOCTOR. INGESTED: IF CONS CIOUS, WASH OUT MOUTH AND GET MEDICAL ATTENTION.
======================================
Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE AN EXPLOSION OR FIRE HAZARD.
============ Accidental Release Measures ===========
Spill Release Procedures:NEUTRALIZE SPILL WITH STRONG SOLUTION OF BLEACH. ALLOW 5-10 MINUTES FOR COMPLETE NEUTRALIZATION. ABSORB SPILL WITH DISPOSABLE TOWELS OR ABSORBENT MATERIAL. CONTAIN WASTE IN A BIOHAZARD BAG. Neutralizing Agent:BLEACH
======================================

Handling and Storage Precautions:REFRIGERATE UNLESS SPECIFIED OTHERWISE BY INSTRUCTIONS IN MEDICAL DIAGNOSTIC KIT. Other Precautions:NO KNOWN TEST METHOD CAN OFFER ASURANCE THAT PRODUCTS MADE OF HUMAN BLOOD WILL NOT TRANSMIT HEPATI TIS, AIDS, OR OTHER INFECTIONS. THEREFORE, ALL HUMAN SERUM PRODUCTS SHOULD BE CONSIDERED POTENTIALLY H AZARDOUS AND HANDLED AS INFECTIOUS AGENT ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE NORMALLY REQUIRED. Ventilation: USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves: RUBBER, LATEX, ETC WHEN HANDLING Eye Protection: SAFETY GOGGLES Other Protective Equipment:LAB COAT Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health ======== Physical/Chemical Properties ============ HCC:N1 Solubility in Water: COMPLETE Appearance and Odor: DEEP RED COLORED LIQUID, NO ODOR Percent Volatiles by Volume:0

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES ACIDS

Stability Condition to Avoid: AVOID CONTACT WITH ACIDS, HEAT.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek compe

tent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.