

WITCO CORP -- PETROLATUM VV-P-236A -- 9150-00-250-0928

===== Product Identification =====

Product ID:PETROLATUM VV-P-236A

MSDS Date:01/01/2000

FSC:9150

NIIN:00-250-0928

MSDS Number: BQLZW

=== Responsible Party ===

Company Name:WITCO CORP

Address:ROUTE 268

Box:84075

City:DALLAS

State:TX

ZIP:75284-0075

Country:US

Info Phone Num:713-975-5858

Emergency Phone Num:713-975-5858

CAGE:5H954

=== Contractor

Identification ===

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

Contract Num:SP0450-00-W-2128

CAGE:0PGK2

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

Contract Num:SP0450-01-M-LA63

CAGE:0PGK2

Company Name:UNI-KEM INTERNATIONAL

Address:1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA

ZIP:70001

Country:US

Phone:504-835-7600/

FAX:504-835-7608
CAGE:4S446
Company Name:WITCO CORP
Box:84075
City:HOUSTON
State:TX
ZIP:77042-0075
Country:US
Phone:713-975-5858
CAGE:5H954

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLATUM
CAS:8009-03-8
RTECS #:SE6780000
OSHA PEL:5MG/M3 OIL MIST

=====
Hazards Identification
=====

LD50 LC50 Mixture:TWA/PEL OF 5 MG/M3 OIL MIST
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Effects of Overexposure:NONE.

=====
=====
First Aid Measures
=====

First Aid:EYES: FLUSH IMMEDIATELY WITH COLD WATER. CALL A PHYSICIAN.
SKIN: FOR MOLTEN PETROLATUM, FLUSH IMMEDIATELY WITH COLD WATER.
CALL A PHYSICIAN. FOR SOLIDIFIED PETROLATUM REMOVE EXCESS WITH
PAPER TOWELS, WASH WITH SOAP AND WATER. INHALATION: NO DATA
AVAILABLE. SWALLOWED: CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:>204.4C, 400.F
A
Autoignition Temp:Autoignition Temp Text:NDA
Lower Limits:NDA
Upper Limits:NDA
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM, WATER FOG OR
SAND/EARTH. WATER SPRAY IS AN UNSUITABLE EXTINGUISHING AGENT.
Fire Fighting Procedures:FIREFIGHTERS SHOULD USE SELF-CONTAINED
BREATHING APPARATUS TO PROTECT AGAINST SMOKE INHALATION.
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SHUT OFF LEAK AND DIKE UP LARGE

SPILLS. AFTER

COOLING AND SOLIDIFICATION, SCRAPE AND/OR SHOVEL UP MATERIAL.
FINALLY, CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAME, HEAT (200F
MAX), AND STRONG OXIDIZING AGENTS. AVOID SKIN AND EYE CONTACT.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NDA (NO DATA AVAILABLE)
Protective Gloves:W
EAR IMPERVIOUS GLOVES.
Eye Protection:WEAR FACE SHIELD OVER SAFETY GLASSES.
Other Protective Equipment:WEAR OVERALLS.
Work Hygienic Practices:READ ALL LABELS CAREFULLY BEFORE USING.
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:NDA
Melt/Freeze Pt:=43.C, 109.4F
M.P/F.P Text:(43-82C) (110-180F)
Vapor Pres:NDA
Vapor Density:NDA
Spec Gravity:NDA
pH:NA
Viscosity:NDA
Evaporation Rate & Reference:NDA
Solubility in W
ater:NIL
Appearance and Odor:SEMI-SOLID, OIL-LIKE, OPAQUE, YELLOW OR BROWN.
Percent Volatiles by Volume:NDA

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE.
Stability Condition to Avoid:NONE.
Hazardous Decomposition Products:NONE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDE

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.