

DIAMOND SHAMROCK REFINING AND MARKETING CO -- #2 DIESEL FUEL -- 9140-00-286-5295
===== Product Identification =====

Product ID:#2 DIESEL FUEL

MSDS Date:12/31/1992

FSC:9140

NIIN:00-286-5295

MSDS Number: BQMCC

=== Responsible Party ===

Company Name:DIAMOND SHAMROCK REFINING AND MARKETING CO

Address:9830 COLONNADE BLVD

Box:696000

City:SAN ANTONIO

State:TX

ZIP:78269-6000

Country:US

Info Phone Num:512

-641-8601

Emergency Phone Num:512-641-8800

CAGE:3P045

=== Contractor Identification ===

Company Name:DIAMOND SHAMROCK REFINING AND MARKETING CO

Address:9830 COLONNADE BLVD

Box:696000

City:SAN ANTONIO

State:TX

ZIP:78269-6000

Country:US

Phone:210-641-8601

CAGE:3P045

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM MID-DISTILLATE (DIESEL MARINE FUEL)

CAS:68476-34-6

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH T

LV:5 MG/M3 AS OIL MIST

Ingred Name:KEROSENE (PART OF COMPONENT 1)

CAS:8008-20-6

RTECS #:OA5500000

Fraction by Wt: 0-20% %

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM 9091

Ingred Name:LIGHT HYDROCARBON BLEND (PART OF COMPONENT 1)

CAS:64741-59-9

Fraction by Wt: 20-40% %

Other REC Limits:NONE SPECIFIED

Ingred Name:DISTILLATES,STRAIGHT RUN MIDDLE (PART OF COMPONENT 1)

CAS:64741-44-2

RTECS #:LX3296000

Fraction by Wt: 40-70% %

Other REC Limits:NONE SPECIFIED

=====

===== Hazards Identification =====

LD50 LC50 Mixture:TWA=100MG/M3/8HRS (NIOSH PROPOSED)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL:UPPER RESPIRATORY TRACT

IRRITATION,CNS EFFECTS(ANESTHETIC LEADING TO RESPIRATORY

ARREST).SKIN:DEFATTING AGENT,IRRITANT.EYES:SEVERE BUT TEMPORARY

IRRITANT.INGEST:IRRITATES MUCOUS MEMBRANES OF THR

OAT,ESOPHAGUS,STOMACH.LUNG DAMAGE

CAN RESULT FROM VOMITING.

Explanation of Carcinogenicity:HMIS NOTES THAT RTECS 92-4 LISTS THE

COMPONENTS OF THIS MATERIEL AS EITHER TUMORIGENS AND/OR MUTAGENS.

Effects of

Overexposure:INHAL:DIZZINESS,HEADACHE.OVEREXPOSURE-ANESTHESIA,COMA,
RESPIRATORY ARREST,IRREGULAR HEART

BEAT.SKIN:BURNING.EYES:BURNING,SWELLING OF

LIDS.INGEST:NAUSEA,VOMITING,CNS DEPRESSION.

Medical Cond Aggravated by Exposure:PERSONS WITH RESPIRATORY OR SKIN

AILMENTS MAY BE AT INCREASED RISK FROM EXPOSU

RE.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND FOOTWEAR. INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, RESUSCITATE AND ADMINISTER OXYGEN IF NEEDED. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING. KEEP AIRWAY CLEAR. IN ALL CASES, SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:140F,60C

Lower Limits:1 %

Upper Limits:5 %

Extinguishing Media:DRY CHEMICAL, FOAM OR CARBON DIOXIDE OR WATER SPRAY.

Fire Fighting Procedures:PRESSURE-DEMAND, SELF CONTAINED BREATHING APPARATUS SHOULD BE PROVIDED FOR FIRE FIGHTERS IN BUILDINGS OR CONFINED AREAS WHERE PRODUCT IS STORED.

Unusual Fire/Explosion Hazard:CLOTHING, RAGS, OR SIMILAR ORGANIC MATERIAL CONTAMINATED WITH THE PRODUCT AND STORED IN A CLOSED SPACE MAY UNDERGO SPONTANEOUS COMBUSTION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.ADSORB LIQUID WITH FLAME RETARDANT SAWDUST OR DIATOMACEOUS EARTH;PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.AVOID RUNOFF INTO WATERWAYS.ANY SUCH SPILLS MUST BE REPORTED.

Neutralizing Agent:NONE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:PROTECT FROM PHYSICAL DAMAGE.OUTSIDE OR DETACHED STORAGE IS PREFERRED.STORE IN A COOL,WELL VENTILATED,AWAY FROM SOURCE OF IGNITION & OXIDANTS.

Other Precautions:GROUND AND BOND CONTAINERS WHEN TRANSFERRING LIQUID.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL USE. USE NIOSH/MSHA APPROVED RESPIRATORY PROTECTION FOLLOWING MANUFACTURER'S RECOMMENDATION WHERE

SPRAY, MIST OR VAPOR IS GENERATED. SUPPLIED

AIR RESPIRATORY PROTECTION IS REQUIRED FOR HIGHER CONCENTRATIONS.

Ventilation:WORK IN WELL VENTILATED AREAS.ENGINEERING CONTROLS MUST BE USED IF WORKING WITH HIGH VOLUMES.

Protective Gloves:IMPERMEABLE GLOVES

Eye Protection:FACE SHIELD & GOGGLES OR CHEMICAL GOGGLE

Other Protective Equipment:STANDARD WORK CLOTHING, ACCESSIBLE EYEWASH AND SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKIN

G. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:330F,166C

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:0.82-0.87

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:TRACE

Appearance and Odor:LIQUID:YELLOW TO STRAW COLOR;ARMATIC ODOR.ODOR THRESHOLD=1PPM.

Percent Volatiles by Volume:100 %

===== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS,SUCH AS CHLORINE,CONCENTRATED OXYGEN,SODIUM HYPOCHLORITE(AND OTHER HYPOCHLORITES).

Stability Condition to Avoid:AVOID PHYSICAL DAMAGE. AVOID SOURCES OF IGNITION.

Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE CARBON MONOXIDE, CARBON DIOXIDE AND OTHER HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN

ACCORDANCE WITH ALL APPLICABLE

LOCAL, STATE AND FEDERAL REGULATIONS. WASTE PRODUCT AND CONTAMINATED MATERIAL WILL BE CONSIDERED A HAZARDOUS WASTE IF THE FLASH POINT IS LESS THAN 140F REQUIRING HAZMAT DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.