View NSN Online: https://aerobasegroup.de/nsn/5970-00-520-8129

MINNESOTA MINING & MFG CO -- KIT82-A1 (SCOTCHCAST 4), PART A -- 5970-00-520-8129 Product ID:KIT82-A1 (SCOTCHCAST 4), PART A

MSDS Date:04/25/1989

FSC:5970

NIIN:00-520-8129

Kit Part:Y

MSDS Number: BQQMF === Responsible Party ===

Company Name: MINNESOTA MINING & MFG CO

Address:3M CTR 224-2S-25

City:ST. PAUL State:MN

ZIP:55144-1000 Country:US

Info Phone Num:612-733-11

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Company Name: MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000 Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

======= Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN

CAS:25068-38-6 RTECS #:KC2100000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

=======================================
LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE-IRRITATING TO EYES ON DIRECT CONTACT. SKIN-IRRITATING TO SKIN ON DIRECT CONTACT. INHALATION-VAPORS MAY BE IRRITATING TO RESPIRATORY SYSTEM. INGESTION-IS PRATICALLY NON-TOXIC ORALLY. Explanation of Carcinogenicity:NOT A CARCINOGEN. Effects of Overexposure:NONE SPECIFIED BY M ANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYE-IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER & CONTINUE FOR AT LEAST 10 MIN. CALL A PHYSICIAN. SKIN-WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER. INHALATION-PROVIDE FRESH AIR. IF COUGHIN G, WHEEZING OR SHORTNESS OF BREATH, DEVELOPS, CALL A PHYSICIAN. INGESTION-GIVE ONE TO TWO GLASSES OF WATER & IMMEDIATELY INDUCE VOMITING. CALL A PHYSICIAN.
======================================
Flash Point Method:CC Flash Point:>230F,>110C Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL. Fire Fighting Procedures:FIREFIGHTERS SHOULD BE EQUIPPED WITHSELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE.
======== Accidental Release Measures ==========
Spill Release Procedures:OBSERVE PRECAUTIONARY INFORMATION FROM OTHER SECTION S. USE ABSORBENT MATERIAL AS NEEDED AND SWEEP UP.

Handling and Storage Precautions:STORE AWAY FROM HEAT.
Other Precautions:NONE

====== Exposure Controls/Personal Protection ========

Respiratory Protection:AVOID INHALATION OF VAPORS. SELECT ONE OF THE FOLLOWING NIOSH APPROVED RESPIRATORS BASED ON AIRBORNE CONCENTRATIONS OF CONTAMINATS: HALF MASK ORGANIC VAPOR RESPIRATOR, FULL-FACE ORGANIC VAPOR RESPI

RAT OR. Ventilation: USE WITH APPROPRIATE LOCAL EXHAUST VENTILATION. PROVIDE APPROPIATE LOCAL EXHAUST FOR HEATING CURING. Protective Gloves:WEAR APPROPIATE GLOVES WHEN HANDLING. Eye Protection: WEAR UNVENTED GOGGLES DURING OPERATIONS. Other Protective Equipment: WEAR ONE OR MORE OF THE FOLLOWING PERSONAL PROTECTION ITEMS AS NECESSARY TO PREVENT SKIN CONTACT: APRON, COVERALLS. Work Hygienic Practices: WASH AFTER USING. Supplemental Safety and Health THIS IS PART A OF A TWO PART KIT. ==== ======= Physical/Chemical Properties ========== HCC:N1 Spec Gravity:1.14 Viscosity:5000 CPS Solubility in Water:NIL Appearance and Odor:CLEAR AMBER LIQUID. Percent Volatiles by Volume:0 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:NONE. Hazardous Decomposition Products: MAY INCLUDE CARBON MONOXIDE, CARBON DIOXIDE & OXIDES OF NITROGEN. Conditions to Avoid Polymerization:WILL

NOT OCCUR.

======= Disposal Considerations ============

Waste Disposal Methods: DISPOSE BY INCINERATION OR SEND FULLY ABSORBED MATERIAL FOR LANDFILL IN ACCORDANCE WITH LOCAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accu

rate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.