

CALGON CARBON CORP -- RVG ACTIVATED CARBON -- 4240-01-249-5540

===== Product Identification =====

Product ID:RVG ACTIVATED CARBON

MSDS Date:08/01/1985

FSC:4240

NIIN:01-249-5540

MSDS Number: BQSMJ

=== Responsible Party ===

Company Name:CALGON CARBON CORP

Address:500 CALGON CARBON DR

Box:717

City:PITTSBURGH

State:PA

ZIP:15230-0717

Country:US

Info Phone Num:412-787-6700

Emergency Phone Num:412-787-67

00

CAGE:1DA66

=== Contractor Identification ===

Company Name:CALGON CARBON CORPORATION

Address:400 CALGON CARBON DR

Box:717

City:PITTSBURGH

State:PA

ZIP:15230-0717

Country:US

Phone:412-787-6700

CAGE:1DA66

Company Name:DALLOZ SAFETY INC / WILLSON SAFETY PROCUCTS CO DIV

Address:2ND AND WASHINGTON ST

Box:622

City:READING

State:PA

ZIP:19603-0622

Country:US

Phone:215-376-6161/ 800-977-9177

CAGE:79687

===== Composition/Information on Ingredients =====

Ingred Name:ACTIVATED CARBON

CAS:7440-44-0
RTECS #:FF5250100
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:2 MG/M3 TDUST; 9293

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >10G/KG.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: PHYSICAL NATURE OF PRODUCT MAY CAUSE IRRITATION. SKIN: NON-TOXIC. PRODUCT IS NOT A PRIMARY SKIN IRRITANT. INHALATION: NOT SPECIFIED BY MANUFACTURER FOR HUMANS. INGESTION: THE PRODUCT IS NON-TOXIC THROUGH INGESTION. THE ACUTE ORAL LD50 (RAT) IS >10G/KG.
Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION. INHALATION: NON-TOXIC. INGESTION: NON-TOXIC.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: WASH AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. INGESTION: NONE SPECIFIED BY MANUFACTURER.

===== Fire Fighting Measures =====

Extinguishing Media:WATER
Fire Fighting Procedures:IF INVOLVED IN A FIRE, FLOOD WITH PLENTY OF WATER.
Unusual Fire/Explosion Hazard:CONTACT WITH STRONG OXIDIZERS SUCH AS OZONE, LIQUID OXYGEN, CHLORINE, PERMANGANATE, ETC. MAY RESULT IN A FIRE.

===== Accidental Release Measures =====

Spill Rele

ase Procedures:SWEEP UP UNUSED CARBON AND DISCARD IN REFUSE
CONTAINER OR REPACKAGE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY AREA AWAY FROM STRONG
OXIDIZERS SUCH AS OZONE, LIQUID OXYGEN, CHLORINE, PERMANGANATE,
ETC.. PROTECT FORM PHYSICAL DAMAGE.

Other Precautions:WET ACTIVATED CARBON REMOVES OXYGEN FROM AIR CAUSING
SEVERE HAZARD TO WORKERS INSIDE CARBON V
ESSELS AND ENCLOSED SPACES.

BEFORE ENTERING SUCH AN AREA,SAMPLING AND WORK PROCEDURES FOR LOW
OXYGEN LEVELS SHOULD BE TAKEN TO ENSURE AMPLE OXYGEN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:A NIOSH APPROVED PARTICULATE FILTER RESPIRATOR
IS RECOMMENDED IF EXCESSIVE DUST IS GENERATED.

Ventilation:MECHANICAL (GENERAL) AND LOCAL EXHAUST VENTILATION IS
RECOMMENDED AS NEEDED TO MAINTAIN CARBON DUST BELOW TLV/PEL'S.

Protective Gloves:R
UBBER GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES AND GOGGLES RECOMMENDED.

Other Protective Equipment:NOT REQUIRED.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING.

Supplemental Safety and Health

CALGON CARBON CORP MANUFACTURES THE RVG ACTIVATED CARBON AND THE
WILLSON SAFETY PRODUCTS CO ASSEMBLE THE CARTRIDGES AND DISTRIBUTE
THE CARTRIDGES TO THE USERS.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity

:2.3 GM/CC

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK PARTICULATE SOLID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS SUCH AS OZONE, LIQUID OXYGEN, CHLORINE, PERMANGANATE,
ETC.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CARBON MONOXIDE MAY BE GENERATED IN
THE EVENT OF FIRE.

===== Disposal Considerations =====

Waste Disposal Methods:D

DISPOSAL OF WASTE IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.