View NSN Online: https://aerobasegroup.de/nsn/5836-01-359-2033

Product ID:QIC II & QIC 2000 MSDS Date:11/01/1987

FSC:5836

NIIN:01-359-2033

MSDS Number: BQSRG === Responsible Party ===

Company Name: E I DUPONT DE NEMOURS AND CO Address: CHEMICALS & PIGMENT DEPT, FREON DIV

City:WILMINGTON

State:DE Country:US CAGE:1GH80

=== Contractor Identification ===

Company

Name: E I DUPONT DE NEMOURS AND CO

Address: CHEMICALS & PIGMENT DEPT, FREON DIV

Box:City:WILMINGTON

State:DE Country:US CAGE:1GH80

Company Name: MISCO AMERICA INC

Address:1 MISCO PLAZA

Box:City:HOLMDEL

State:NJ

ZIP:07733-1033 Country:US

Phone:732-264-8200

CAGE:63793

======= Composition/Information on Ingredients ========

Ingred Name: NON HAZARDOUS INGREDIENT

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

R

Effects of Overexposure:LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, POSSIBLE NARCOSIS, CARDIAC ARRHTHMIAS AT HIGH CONCENTRATIONS.
======================================
First Aid:INHALATION-REMOVE TO FRESH AIR, CALL PHYSICIAN. SKIN OR EYE CONTACT-FLUSH WITH WATER.
======================================
Flash Point:NONE Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures: VENTILATE AREA - ESPECIALLY LOW PLACES WHERE HEAVY VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES.
========== Handling and Storage ============
Handling and Storage Precautions:STORE CONTAINERS IN CLEAN, DRY AREA. DO NOT STORE ABOVE 125F. Other Precautions:KEEP OUT OF REACH OF CHILDREN.
===== Exposure Controls/Personal Protection =======
Respiratory Protection:AIR MASK IN HIGH CONCENTRATIONS. Ventilation:LOCAL EXHAUST Protective Gloves:WHEN HANDLING LIQUID. Eye Protection:WHEN HANDLING LIQUID. Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:118F,48C Vapor Pres:334 Vapor Density:2.9 Spec Gravity:1.57 Evaporation Rate & Description Rate & D

outes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE

========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES ALKALI OR ALKALINE EARTH METALS - POWDERED BY ALUMINUM, ZINC, BERYLLIUM.
Stability Condition to Avoid:OPEN FLAMES, HIGH TEMPERATURES. Hazardous Decomposition Products:HYDROCHLORIC AND HYDROFLUORIC ACIDS - POSSIBLE PHOSGENE.
========= Disposal Considerations =============
Waste Disposal Methods:EVAPORATE OUTDOORS.
Dicalaim

Disclaim

S LIQUID - SLIGHT ETHERAL ODOR.

er (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.