

UNKNOWN -- PACKING MATERIAL,STYLE P-15011-4 INSQ -- 5330-01-025-6387

Product ID:PACKING MATERIAL,STYLE P-15011-4 INSQ

MSDS Date:06/14/1993

FSC:5330

NIIN:01-025-6387

MSDS Number: BQWFP

=== Responsible Party ===

Address:NOT KNOWN

City:NOT KNOWN

Country:US

Preparer's Name:DGSC-SSH

CAGE:OO314

=== Contractor Identification ===

Box:NONE

Phone:DGSC-SHH DSN 695-4371 804-695-4371

CAGE:OO314

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9293

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:ACUTE- DUSTS CAN CAUSE IRRITATION OF EYES, SKIN, GI TRACT & RESPIRATORY PASSAGES. CHRONIC- LONG TERM

EXPOSURE TO ASBESTOS CAN CAUSE IRREVERSIBLE ASBESTOSIS, LUNG DISEASE & LUNG CANCER. SMOKING GREATLY INCREASES THE RISKS.

Explanation of Carcinogenicity:ASBESTOS IS REGULATED BY OSHA AS A CARCINOGEN.

Effects of Overexposure:DUSTS CAN CAUSE IRRITATION OF EYES, SKIN, GASTROINTESTINAL TRACT AND RESPIRATORY PASSAGES. MAY CAUSE NAUSEA, VOMITING AND DIARRHEA.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS SUCH AS DERMATITIS, RESPIRATORY PROBLEMS, LUN

G DISEASE,  
BRONCHIAL HYPER-REACTIVITY OR ANY CONDITION THAT MAY BE AGGRAVATED  
BY NUISANCE DUST OR FIBERS.

===== First Aid Measures =====

First Aid:SEEK MEDICAL ATTENTION IF SYMPTOMS DEVELOP. IN CASE OF EYE  
IRRITATION GENTLY RINSE WITH WATER FOR 15 MINUTES WHILE KEEPING  
EYELIDS OPEN. DO NOT RUB EYES. SKIN: WASH FREQUENTLY WITH SOAP AND  
WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE  
VOMITING. SEE A PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:USE WATER AND FOAM AS EXTINGUISHING AGENTS.  
Fire Fighting Procedures:AVOID BREATHING FUMES. WEAR PROTECTIVE  
CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS  
OPERATED IN THE POSITIVE PRESSURE MODE.  
Unusual Fire/Explosion Hazard:ASBESTOS FIBERS MAY BE RELEASED.

===== Accidental Release Measures =====

Spill Release Procedures:TREAT DUST AS FREE ASBESTOS. DO NOT DR  
Y SWEEP  
OR USE COMPRESSED AIR. WET METHOD SHOULD BE USED FOR EXTRACTION OF  
DUST AND DEBRIS. HIGH EFFICIENCY PARTICULATE APPARATUS (HEPA)  
VACUUMS SHOULD BE USED. AVOID WATER-POLLUTION.  
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- AVOID CREATING DUST.  
Other Precautions:USE IN WELL VENTILATED AREA. AVOID BREATHING DUST OR  
FIBERS. MINIMIZE CONTACT WITH SKIN. AVOID CONTACT WITH EYES.  
DO NOT  
RAISE DUST. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR  
DRINKING. KEEP AWAY FROM REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED HIGH EFFICIENCY FIBERS/FUMES  
RESPIRATOR WHEN AIRBORNE FIBER CONCENTRATIONS EXCEED THE PEL.  
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. NONE NORMALLY REQUIRED.  
Protective Gloves:LEATHER, COTTON OR RUBBER IF FRIABLE  
Eye Protection:DUST-RESISTANT SAFETY GOGGL

ES IF FRIABLE

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED. DO NOT WEAR CONTACT LENSES

Work Hygienic Practices:DON'T TAKE PROTECTIVE GEAR/CLOTHING HOME IF EXPOSED TO DUST. DON'T SHAKE. DON'T EAT IN AREA WHERE ASBESTOS/DUST PRESENT.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPERLY TO PROTECT EMPLOYEES AND ENVIRONMENT.

===== Physical/Chemical Properties =====

HCC:T6

Solubility in Water:INSOLUBLE

Appearance and Odor:ASBESTOS IMPREGNATED WITH TEFLON

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN

Stability Condition to Avoid:AVOID INHALATION OR INGESTION OF DUST.

Hazardous Decomposition Products:ASBESTOS FIBERS MAY BE RELEASED

.

===== Disposal Considerations =====

Waste Disposal Methods:APPROVED LANDFILL. WASTE SHOULD BE CONTAINED IN IMPERMEABLE BAGS, LABELED AND DISPOSED IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.