

FARMLAND INDUSTRIES,INC.,BULK PERTOLEUM DIV. -- DISTILLATE FUELS -- 9140-00-242-6749
===== Product Identification =====

Product ID:DISTILLATE FUELS

MSDS Date:02/01/1989

FSC:9140

NIIN:00-242-6749

MSDS Number: BQWKP

=== Responsible Party ===

Company Name:FARMLAND INDUSTRIES,INC.,BULK PERTOLEUM DIV.

Box:7305

City:KANSAS CITY

State:MO

ZIP:64116-0005

Country:US

Info Phone Num:316-251-4000

Emergency Pho

ne Num:316-251-4000

CAGE:6G072

=== Contractor Identification ===

Company Name:FARMLAND INDUSTRIES,INC.,BULK PERTOLEUM PROD DIV.

Box:7305

City:KANSAS CITY

State:MO

ZIP:64116-0005

Country:US

Phone:316-251-4000, CHEMTREC 800-424-9300

CAGE:6G072

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC PETROLEUM DISTILLATE

CAS:68476-30-2

Fraction by Wt: >95%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Rou

tes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:VAPORS MAY CAUSE DIZINESS OR
ASPHYXIATION. INGESTION CAN CAUSE IRRITATION, NAUSEA, VOMITING.
ASPIRATION INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS. CHRONIC:NOT
PROBABLE.

Explanation of Carcinogenicity:PRODUCTS OF SIMILAR COMPOSITION CAUSED
WEAK - MODERATE POSITIVE MOUSE SKIN CANCER, MIXED RESULTS IN
MUTAGENICITY.

Effects of Overexposure:IRRITATION OF EYES AND SKIN. DERMATITIS IS
POSSIBLE.

Medical Cond Aggravated by Exposure:RESPIRATORY ILLNESSES

=====
===== First Aid Measures =====

First Aid:IF OVERCOME BY VAPORS, REMOVE TO FRESH AIR AND GIVE OXYGEN.
EYE AND SKIN EXPOSURES SHOULD BE WASHED WITH LARGE AMOUNTS OF
WATER. IF INGESTED, DO NOT INDUCE VOMITING. KEEP WARM AND GET
MEDICAL HELP.

=====
===== Fire Fighting Measures =====

Flash Point Method

:PMCC

Flash Point:#100F,38C

Lower Limits:0.7

Upper Limits:5.0

Extinguishing Media:DRY CHEMICAL, FOAM OR FOG, WATER SPRAY AND CARBON
DIOXIDE

Fire Fighting Procedures:COOL CONTAINERS WITH WATER, WATER OR FOAM
SPRAYED INTO CONTAINERS OF HOT BURNING PRODUCT COULD CAUSE FROTHING
AND ENDANGER FIRE FIGHTERS.

Unusual Fire/Explosion Hazard:EMPTY CONTAINERS CAN EXPLODE WHEN HEAT IS
APPLIED. VAPORS ARE HEAVIER THAN AIR & MAY TRAVEL ALONG
GROUND/FLOOR, THEN 'FLASH BACK' FROM DISTANT IGN
ITION SOURCE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. STOP LEAK IF
POSSIBLE. DIKE AREA TO CONTAIN SPILL AND PREVENT RUN-OFF TO
STREAMS, SEWERS, ETC. PUMP MATERIAL TO SALVAGE VESSEL.

Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT SPARKS AND OPEN
FLAME.

Other Precautions

:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:CHEMICAL CARTRIDGE RESPIRATOR IF VAPOR
CONCENTRATION EXCEEDS TLV.

Ventilation:EXPLOSION PROOF IF NEEDED TO MAINTAIN EXPOSURES BELOW TLV.

Protective Gloves:NEOPRENE, OR NITRILE, OTHER RESISTANT

Eye Protection:SPLASH PROOF CHEMICAL SAFETY GOGGLES

Other Protective Equipment:"WHERE OPERATIONS AND EXPOSURE WARRANT."

Work Hygienic Practices:MFR: ? HMIS:USE GOOD INDUSTRIAL HYGIENE
PRACTICE. AVOID

UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING
OR DRINKING.

Supplemental Safety and Health

KEY2:KT MSDS IS SKETCHY. THEY CITE ASHLAND PETROLEUM CO AS SOURCE OF
CARCINOGENICITY INFO, HMIS SUPPLIED THE YES/NO CARCINOGENS. FIELDS
STARTING WITH "#" INDICATE THAT THE INFORMATION WAS TAKEN FROM THE
SPECIFICATION RATHER THAN THE MSDS.

=====
===== Physical/Chemical Properties =====

HCC:F4

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:#