

FLAMEMASTER CORP, CHEM SEAL DIV -- CS 3300 PART A -- 8030-00-680-2041

=====
Product Identification
=====

Product ID:CS 3300 PART A

MSDS Date:06/15/1990

FSC:8030

NIIN:00-680-2041

Kit Part:Y

MSDS Number: BQYGM

=== Responsible Party ===

Company Name:FLAMEMASTER CORP, CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Phone Num:

800-424-9300(CHEMTREC)

Preparer's Name:HERBERT MOORE

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry

: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NOT ESTABLISHED. POSSIBLE SKIN
IRRITATION AFTER PROLONGED CONTACT WITH RESULTING DERMATITIS. NOT
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.
Effects of Overexposure:SKIN OR EYE IRRITATION.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PH
YSICIAN.
SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT
PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:>200F,>93C
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR
REACTION WITH CURING AGENT. CL
EAN UP RESIDUE WITH 1,1,1
TRICHLOROETHANE THEN WITH SOAP AND WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM
STRONG ACIDS.
Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER
HANDLING THIS PRODUCT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED.
Ventilation:LOCAL EXHAUST: AIR. MECHANICAL (GENERAL): FAN.
Protective

Gloves:RUBBER.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.

Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT.

Supplemental Safety and Health

KEY1;N1. THIS ENTRY DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME NSN, P/N IND B, FOR PART B DATA.

===== Physical/Chemical Properties =====

HCC:D1

Melt/Freeze Pt:M.P/F.P Text:LIQ@RM TEMP

Vapor Pres:NIL

Vapor Density:NIL

Spec Gravity:1.33

pH

:8.5

Viscosity:8,000 POISES

Evaporation Rate & Reference:(BU AC=1)