View NSN Online: https://aerobasegroup.com/nsn/6810-00-988-9356

E M SCIENCE, MCB MFG CHEMISTS INC -- DIURETIC SALT -- 6810-00-988-9356

Product ID:DIURETIC SALT MSDS Date:12/09/1992

FSC:6810

NIIN:00-988-9356

MSDS Number: BQYJT === Responsible Party ===

Company Name: E M SCIENCE, MCB MFG CHEMISTS INC

Address:480 DEMOCRAT RD

Box:70

City:GIBBSTOWN

State:NJ ZIP:08027 Country:US

Info Phone Num:609-354-9200 Emergency Phone Num:800-4

24-9300 CAGE:1U692

=== Contractor Identification ===

Company Name: E M SCIENCE, MCB MFG CHEMISTS INC

Address:480 DEMOCRAT RD

Box:70

City:GIBBSTOWN

State:NJ ZIP:08027 Country:US

Phone:800-424-9300

CAGE:1U692

Company Name: MCB MFG CHEMISTS INC

Address:2909 HIGHLAND AVE

Box:City:CINCINNATI

State:OH

ZIP:45212-2411 Country:US CAGE:24150

======= Composition/Information on Ingredients ========

Ingred Name:POTASSIUM ACETATE

CAS:127-08-2

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

======================================
LD50 LC50 Mixture:ORAL LD50 (RAT) = 3250 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY BE IRRITATING ON CONTACT WITH SKIN, EYES OR MUCOUS MEMBRANES. Explanation of Carcinogenicity:MSDS STATES "THE MATERIAL IS NOT LISTED (IARC, NTP, OSHA) AS CANCER CAUSING AGENT. Effects of Overexposure:MAY BE IRRITATING ON CONTAC T WITH SKIN, EYES OR MUCOUS MEMBRANES. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:GET MEDICAL ASSISTANCE FOR ALL CASES OF OVEREXPOSURE. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. EYES: IMMEDIATELY FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. INHALATION: REMOVE TO FRESH AIR. INGESTION: GET IMMEDIATE MEDICAL ATTENTION.
======================================
=======================================
Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ===========
Spill Release Procedures:EVACUATE THE AREA OF ALL UNNECESSARY PERSONNEL. WEAR SUITABLE PROTECTIVE EQUIPMENT. ELIMINATE ANY IGNITION SOURCES UNTIL AREA IS DETERMINED TO BE FREE FROM EXPLOSION OR FIRE HAZARD. CONTAIN THE RELEAS E AND ELIMINAT E ITS SOURCE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY AREA. DO NOT BREATHE DUST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
======= Exposure Controls/Personal Protection ========
Respiratory Protection:MATERIAL SHOULD BE HANDLED OR TRANSFERRED IN AN APPROVED FUME HOOD OR WITH ADEQUATE VENT

ILATION.
Ventilation:MATERIAL SHOULD BE HANDLED OR TRANSFERRED IN AN APPROVED
FUME HOOD OR WITH ADEQUATE VENTILATION.
Protective Gloves:SHOULD BE WORN
Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

======== Physical/Chemical Properties ==========

Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING,

HCC:N1

NONE

Melt/Freeze Pt:M.P/F.P Text:558F,292C

Spec Gravity:1.57

Solubility in Water: APPRECIABLE

Supplemental Safety and Health

Appearance and Odor:WHITE SOLID, ODORLESS

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:ACETIC ACID VAPORS, CARBON MONOXIDE, CARBON DIOXIDE

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE O
F IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for

