

VARIAN ASSOCIATES INC -- 4CW25000A ELECTRON TUBE -- 5960-00-478-7692

=====  
Product Identification  
=====

Product ID:4CW25000A ELECTRON TUBE

MSDS Date:06/10/1993

FSC:5960

NIIN:00-478-7692

MSDS Number: BRGJQ

=== Responsible Party ===

Company Name:VARIAN ASSOCIATES INC

Address:4130 LINDEN AVE SUITE 255

City:DAYTON

State:OH

ZIP:45432-3034

Country:US

Info Phone Num:513-258-3930

Emergency Phone Num:513-2

58-3930

Preparer's Name:SUE A. DUGAN

CAGE:1B538

=== Contractor Identification ===

Company Name:COMMUNICATIONS AND POWER INDUSTRIES INC

Address:4130 LINDEN AVE SUITE 255

Box:City:DAYTON

State:OH

ZIP:45432-3076

Country:US

Phone:513-258-3930

CAGE:1B538

=====  
Composition/Information on Ingredients  
=====

Ingred Name:THORIUM 232 (SPECIFIC ACTIVITY 0.001050 MICROCURIES/GM)

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes

of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:THIS PRODUCT IS AN ARTICLE. THIS  
ELECTRON TUBE DOES NOT RELEASE OR OTHERWISE RESULT IN EXPOSURE TO A  
HAZARDOUS CHEMICAL UNDER NORMAL CONDITIONS OF USE. SPECIFIC  
ACTIVITY OF THORIATED (THORIUM 232) TUN GSTEN WIRE IS 0.001050  
MICROCURIES/GM.  
Effects of Overexposure:THE PRODUCT IS AN ARTICLE. THIS ELECTRON TUBE  
DOES NOT RELEASE OR OTHERWISE RESULT  
IN EXPOSURE TO A HAZARDOUS  
CHEMICAL UNDER NORMAL CONDITIONS OF USE.  
Medical Cond Aggravated by Exposure:NONE

=====  
===== First Aid Measures =====

First Aid:EMERGENCY FIRST AID IS NOT NECESSARY UNDER NORMAL CONDITIONS  
OF USE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:IN CASE OF TUBE BREAKAGE, TAKE APPROPRIATE  
SAFETY PRECAUTIONS SUITABLE FOR CLEANUP AND COLLECTION OF  
CONTAMINATED ITEMS, SUCH AS TH  
E USE OF RUBBER GLOVES,  
TWEEZERS/TONGS, DAMP SPONGES AND DUST RESPIRAT ORS. TRANSFER TO  
LABELLED CONTAINER FORDISPOSAL.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN ORIGINAL CONTAINER. AVOID  
BREAKING TUBES. WEAR GLOVES TO HANDLE BROKEN TUBES.  
Other Precautions:KEEP AWAY FROM SMALL CHILDREN. WASH HANDS IMMEDIATELY  
IF CONTACTED BROKEN TUBES.

=====  
===== Exposure Controls/Personal Protection =====

Respi  
ratory Protection:NONE NORMALLY REQUIRED. DUST RESPIRATOR IF  
HANDLING BROKEN TUBES.  
Ventilation:NONE NORMALLY REQUIRED.  
Protective Gloves:RUBBER GLOVES IF HANDLING BROKEN TUBES.  
Eye Protection:NONE NORMALLY REQUIRED.  
Other Protective Equipment:NONE NORMALLY REQUIRED.  
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.  
Supplemental Safety and Health  
MANUFACTURER STATES THAT THIS PRODUCT CONFORMS TO THE HAZARD  
COMMUNICATION STANDARD DEFINITION OF

AN "ARTICLE", AS DEFINED IN  
29CFR1910.1200.

===== Physical/Chemical Properties =====

HCC:A2

Appearance and Odor:ELECTRON TUBE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:BREAKAGE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF VIA A LICENSED COMMERCIAL RADIOACTIVE  
WASTE DISPOSAL AGENCY. OBSERVE ALL LOCAL  
, STATE AND FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this in  
formation to their  
particular situation.