

COURTAULDS AEROSPACE -- EPOXY POLYAMIDE ACTIVATOR 910X624 -- 8030-01-364-7360

===== Product Identification =====

Product ID:EPOXY POLYAMIDE ACTIVATOR 910X624

MSDS Date:12/18/1991

FSC:8030

NIIN:01-364-7360

Kit Part:Y

MSDS Number: BRGPZ

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE

Address:11601 UNITED ST

City:MOJAVE

State:CA

ZIP:93501

Country:US

Info Phone Num:805-824-4532

Emergency P

hone Num:805-824-4532

CAGE:83574

=== Contractor Identification ===

Company Name:DESOTO INC PACIFIC PLANT IS COURTLANDTS AEROSPACE

Address:1608 4TH ST

Box:City:BERKELEY

State:CA

ZIP:94710

Country:US

Phone:800-228-5635 /800-424-9300 CHEMTREC

CAGE:85570

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

=

Ingred Name:TOLUENE (SARA III) (VAPOR PRESSURE 22 MM HG)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III) (VAPOR PRESSURE 33 MM HG)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 55%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM/STEL 500 PPM  
ACGIH TLV:400 PPM/STEL 500 PPM

Ingred Name:XYLENE (SARA III) (VAPOR PRESSURE 10 MM HG)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 10%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM/STEL 150 PPM  
ACGIH TLV:100 PPM/STEL 150 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL BENZENE (SARA III) (VAPOR PRESSURE 7.1 MM HG)  
CAS:100-41-4  
RTECS #:DA0700000  
Fraction by Wt: 120F.STORE FLAMM LIQ IN ACCORD W/NFPA CODES &  
GOVERNMENTAL REGS.DONT SMOKE WHERE STORED/USED.  
Other Precautions:GROUND/BOND WHEN TRANSFERRING.AVOID FREE FALL.DONT  
APPLY TO HOT SURFCS.DONT ING  
EST/CONC & INHAL.EMPTY DRUMS CONTAIN  
EXPLOS VAPOR.DONT CUT,PUNCTURE,WELD ON/NEAR DRUM.VAPOR HEAVIER THAN  
AIR,COLLECT IN LOW AREAS.DONT ENTER W/O AIR MONITORING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ABOVE TLV/SPRAY MIST IS PRESENT, USE NIOSH/MSHA  
RESPIRATORY PROTECTION APPROPRIATE FOR INDICATED COMPONENTS. IN  
CONFINED AREAS USE NIOSH APPROVED AIR SUPPLIED RESPIRATOR. FOLLOW  
RESPIRATOR MFR'S DIRECTION & OSHA REGS (29 CFR

1910.134).

Ventilation:IF EMPLOYEES PRESENT, PROVIDE GENERAL DILUTION/LOCAL EXHAUST TO KEEP BELOW TLV/PEL. NO EMPLOYEES, KEEP BELOW 25% LEL.

Protective Gloves:WEAR CHEMICALLY RESISTANT GLOVES

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:AVOID SKIN CONTACT BY USE OF OTHER PROTECTIVE CLOTHING. SAFETY SHOWER, EYE BATH & WASHING FACILITIES SHOULD BE AVAILABLE

Work Hygienic Practices:PREVENT PROLONGED CONTACT WITH CONTAMINATED CLOTHING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:180 TO 277F

Vapor Density:> AIR

Spec Gravity:0.84

Evaporation Rate & Reference:SLOWER THAN N-BUTYL AC

Appearance and Odor:AMBER LIQUID, SOLVENT ODOR

Percent Volatiles by Volume:84.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE RECOGNIZED

Stability Condition to

Avoid:NONE RECOGNIZED

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE HAZARDOUS INCLUDING CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:PACKAGE, STORE, TRANSPORT, MANAGE IN ACCORD W/LOCAL, STATE, & FEDERAL REGULATIONS. USE NO DISPOSAL METHOD THAT WOULD POSE ENVIRONMENTAL OR HUMAN HEALTH THREAT INCLUDING ANY WHICH WOULD CONTAMINATE GROUND OR SURFACE WATER.

Disclaimer (provided with th

is information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.