View NSN Online: https://aerobasegroup.com/nsn/6840-01-065-3662

## 

Product ID:MEDICIDE HOSPITAL DISINFECTANT

MSDS Date:10/02/1991

FSC:6840

NIIN:01-065-3662

MSDS Number: BRGZM === Responsible Party === Company Name:HYSAN CORP Address:919 W 38TH ST

City:CHICAGO

City.Chic/

State:IL

ZIP:60609-1419

Country:US

Info Phone Num:800-431-1075

Emergency Phone Num:800-752-4869/800-535-50

53

CAGE:27689

=== Contractor Identification ===

Company Name: HYSAN CORP (BOUGHT BY HYSAN/AMP-NONE IN CHICAGO)

Address:919 W 38TH ST

Box:City:CHICAGO

State:IL

ZIP:60609-1419

Country:US Phone:NONE

CAGE:27689

Company Name: SILFEN LEO INC, INDUSTRIAL CHEMICAL DIV

Address: 80 BUSINESS PARK DR SUITE 206

Box:City:ARMONK

State:NY

ZIP:10504-1710

Country:US

Phone:800-431-1075

CAGE:1GJ71

====== Composition/Information on Ingredients ========

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

**RTE** 

| CS #:KQ6300000 Fraction by Wt: 50-75% Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192  |
|---|
| Ingred Name:BUTANE CAS:106-97-8 RTECS #:EJ4200000 Fraction by Wt: 5-20% Other REC Limits:NONE SPECIFIED OSHA PEL:800 PPM ACGIH TLV:800 PPM; 9192  |
| Ingred Name:PROPANE CAS:74-98-6 RTECS #:TX2275000 Fraction by Wt: 5-20% Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:ASPHYXIANT; 9192  |
| =========== Hazards Identification ==============   |
| Routes of Entry: Inh alation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO Health Hazards Acute and Chronic:EYES: CAUSES TEMPORARY EYE IRRITATION Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.  ==================================                                      |
| First Aid:FLUSH EYES WITH PLENTY OF WATER. CALL A PHYSICIAN IF IRRITATION PERSISTS.   |
| ======================================  |
| Flash Point Method:TCC Flash Point:71.0F,21.7C Lower Limits:4 Upper Limits:19 Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Procedures:KEEP CONTAINERS COOL. USE SHIELDING TO PROTECT PERSONNELAGAINST BURSTING, RUPTURING OR VENTING CONTAINERS. Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 130F) CONTAINERS MAY VENT, BURST OR RUPTURE. |
| ========= Accidental Release Measures ============  |

Spill Releas

| e Procedures:REMOVE ALL SOURCES OF FLAME, SPARK OR HEAT. PROVIDE ADEQUATE VENTILATION. WIPE UP SPILLS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.  |
|--|
| ======================================   |
| Handling and Storage Precautions:WARNING! CONTENTS UNDER PRESSURE. FLAMMABLE. KEEP IN A COOL, DRY, LOCKED AREA AWAY FROM FLAMES, SPARKS AND OTHER SOURCES OF HEAT OR IGNITION. Other Precautions:DO NOT SPRAY ON OR TOWARDS EYES OR FACE. AVOID BREATHING SPRAY MIST OR VAPORS.  |
| ====== Exposure Controls/Personal Protection ========  |
| Respiratory Protection:NONE REQUIRED  Ventilation:LOCAL EXHAUST. NONE REQUIRED.  Protective Gloves:NONE REQUIRED  Eye Protection:SAFETY GLASSES  Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  Work Hygienic Practices:USE WITH ADEQUATE VENTILATION. AVOID BREATHING  VAPOR/SPRAY MIST. AVOID CONTACT WITH SKIN & EYES. WASH HANDS AFTER  USE.  Supplemental Safety and Health  |
| Supplemental Safety and Health<br>NONE   |
| ========= Physical/C<br>hemical Properties ====================================  |
| HCC:F8 Boiling Pt:B.P. Text:180F,82C Vapor Pres:30 Vapor Density:>1 AIR=1 Spec Gravity:0.87 Evaporation Rate & Description Rate |
| ======================================   |
| Stability Indicator/Materials to Avoid:YES<br>NONE<br>Stability Condition to Avoid:AVOID HEATING TO ABNORMAL TEMPERATURES.<br>Hazardous Decomposition Prod   |

## ucts:OXIDES OF CARBON MAY BE FORMED

====== Disposal Considerations ==========

Waste Disposal Methods:REPLACE CAP AND DISCARD CONTAINER IN TRASH. DO NOT PUNCTURE OR INCINERATE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims al

I liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.