

TACONIC PLASTICS LTD -- PTFE TAPE,UNSUPPORTED,ADHESIVE COATED,6115-5970-00-812-7387

=====
Product Identification
=====

Product ID:PTFE TAPE,UNSUPPORTED,ADHESIVE COATED,6115-

MSDS Date:05/06/1991

FSC:5970

NIIN:00-812-7387

MSDS Number: BRKHK

=== Responsible Party ===

Company Name:TACONIC PLASTICS LTD

Address:COONBROOK RD

City:PETERSBURG

State:NY

ZIP:12138-9715

Country:US

Info Phone Num:800-833-

1805/518-658-3202

Emergency Phone Num:800-833-1805/518-658-3202

Preparer's Name:H.TEAL

CAGE:59688

=== Contractor Identification ===

Company Name:TACONIC PLASTICS LTD

Address:COONBROOK RD

Box:City:PETERSBURG

State:NY

ZIP:12138-9715

Country:US

CAGE:59688

=====
Composition/Information on Ingredients
=====

Ingred Name:TEFLON (TETRAFLUORO ETHYLENE POLYMER)

CAS:116-14-3

RTECS #:KX4025000

Fraction by Wt: 98%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYSILOXANE

RTECS #:TR04600

00

Fraction by Wt: 2%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NOT HAZARDOUS UNDER NORMAL CONDITIONS
OF USE. ACUTE: IF PRODUCT IS HEATED AT HIGH TEMPERATURE, FUMES MAY
CAUSE POLYMER FUME FEVER. CHRONIC: NONE.
Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.
Effects of Overexposure:SHORTNESS OF BREATH. FLU-LIKE SYMPTOMS.
Medical Cond Aggravated by Exposure:NONE.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR. SEE DOCTOR IF
SYMPTOMS PERSIST.

=====
===== Fire Fighting Measures =====

Extinguishing Media:WATER OR CARBON DIOXIDE AS APPROPRIATE TO IGNITION
SOURCES.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:FUMES EMITTED AT HIGH TEMPERATURES
(800F).

=====
===== Accidental Release Measures =====

Spill Release Procedures:NORMAL CLEANUP.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE. DO NOT
EXPOSE TO TEMPERATURES EXCEEDING 800F

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Work Hygienic Practices:NORMAL PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:630F,332C

Decomp Temp:Decomp Text:800F,427C

Spec Gravity:1.9

Solubility in Water:INSOLUBL

E.

Appearance and Odor:WHITE, ODORLESS, PLIABLE FILM.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID MOLTEN ALKALI METALS.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CARBONYL FLUORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL. MATERIAL IS INERT AND IS NOT RCRA LISTED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.