View NSN Online: https://aerobasegroup.de/nsn/8010-00-285-4933

COLORADO PAINT COMPANY -- WHITE STENCIL PAINT 1100 -- 8010-00-285-4933

Product ID:WHITE STENCIL PAINT 1100

MSDS Date:03/10/1992

FSC:8010

NIIN:00-285-4933

MSDS Number: BRNKW === Responsible Party ===

Company Name: COLORADO PAINT COMPANY

Address:4747 HOLLY STREET

City:DENVER State:CO ZIP:80216 Country:US

Info Phone Num:303-388-9265

Emergency Phone Num:303-388-9265 8

00-424-9300(CHEMTREC)

Preparer's Name: CHRISTOPHER M. COOK

CAGE:25449

=== Contractor Identification ===

Company Name: COLORADO PAINT CO

Address:4747 HOLLY STREET

Box:City:DENVER

State:CO

ZIP:80216-6409

Country:US

Phone:303-338-9265

CAGE:25449

======= Composition/Information on Ingredients ========

Ingred Name:XYLENE (SARA 313) (VAPOR PRESSURE 5.1 MM HG @ 68F)

CAS:1330-20-7

RTECS #:ZE2100000 Fraction by Wt: 2.39%

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM ACGIH TLV:100 PPM

EPA

Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: ALIPHATIC PETROLEM DISTILLATES (VAPOR PRSSURE 0.4 MM HG @

100F)

CAS:64742-89-8 Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name: ETHYL BENZENE (SARA 313)

CAS:100-41-4

RTECS #:DA0700000 Fraction by Wt: 0.46%

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM ACGIH TLV:100 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: TOLUENE (SARA 313) (VAPOR PRESSURE 22.0 MM HG @ 68F)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 0.49%

Other REC Limits: NONE SPECIFIED

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: ALIPHATIC HYDROCARBON/MINERAL SPIRITS (VAPOR PRESSURE 2.0

MM HG @ 68F) CAS:8052-41-3 RTECS #:WJ8925000 Fraction by Wt: 0.42%

Other REC Limits: NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

Ingred Name: VOC: 3.02 LB/GL; 362 G/L

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

====== Hazards Id

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES

Health Hazards Acute and Chronic:ACUTE: GASTROINTESTINAL IRRITATION,
NAUSEA, VOMITING, DIARRHEA. ASPIRATIONS OF MATERIAL INTO THE LUNGS
CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. CHRONIC:
REPEATED EXPOSURE TO HIGH CONCENTRATI ONS MAY CAUSE IRRITATION OF
THE RESPIRATORY SYSTEM & PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.
Effects of Overexposure:EXCESSIVE INHALATION OF VAPORS CAN CAUSE

& RESPIRATORY IRRITATION, CNS EFFECTS INCLUDE DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS & EVEN DEATH. EYE & SKIN: SEVERE I RRITATION, REDNESS, TEARING, BLURRED VISION. REPEATED/PROLONGED CONTACT CAUSE DEFATTING OR DERMATITIS. Medical Cond Aggravated by Exposure: POSSIBLE ALLERGIC REACTIONS. INTENTIONAL MISUSE OR DELIBERATELY CONCENTRATING & INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

 First Aid Measures	====

First Aid:SKIN: WASH WITH SOAP & WATER. EYES: FLUSH W/LARGE AMOUNTS OF FRESH WARM WATER, OPENING EYES OCCASIONALLY, GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR, APPLY ARTIFICIAL RESPIRATION &/OR OXYG EN IF NECESSARY & GET MEDICAL ATTENTION. KEEP INDIVIDUAL WARM & QUIET. INGESTION: DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

============ Fire Fighting Measures =========================

Flash Point Method:TCC Flash Point:50.0F,10.0C

Lower

NASAL

Limits:0.9 %

Upper Limits:7.0 %

Extinguishing Media:FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WHEN FIGHTING FIRES.

Unusual Fire/Explosion Hazard: VAPORS HEAVIER THAN AIR TRAVEL ALONG GROUND, OR BY VENTS & IGNITED BY HEAT, PILOT LIGHTS OTHER FLAMES & IGNITION SOURCES DISTANT FROM MATERIAL HANDLING POINT.

======= Accidental Release Measures =======

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. DIKE AREA & ABSORB MATERIAL WITH VERMICULITE OR OTHER ABSORBENT, OR PUMP MATERIAL INTO TANK FOR REUSE OR PROPER DISPOSAL.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE AWAY FROM ALL HEAT TYPES. DON'T STORE ABOVE 120F. STORE LARGE QUANTITIES IN BLDGS DESIGNED FOR STORAGE OF NFPA CLASS IB FLAMMABLE LIQUIDS. Other Precautions:CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN
EMPTY, SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES (VAPORS, LIQUID, &/OR SOLIDS), ALL HAZARD PRECAUTIONS GIVEN IN THE DATA SHEET MUST BE OBSERVED. NEVER CUT, WELD, TORCH ON OR NEAR DRUM
====== Exposure Controls/Personal Protection =======
Respiratory Protection:IF EXPOLSURE LIMITS ARE EXCEEDED OR IF APPLIED BY SPRAYING, USE APPROPRIATE, PROPERLY FITTED NIOSH/MSHA APPROVED RESPIRATOR, REFER TO OSHA 29 CFR 1910-134 "RESPIRATOR PROTEC TION. Ventilation:PROVIDE SUFFICIENT MECHANICAL VENTILATION (GENERAL &/OR LOCAL EXHAUST) TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves:NITRILE, RUBBER OR NEOPRENE Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED CONTACT WITH SKIN, WEAR IMPERVIOUS CLOTHING AND BOOTS. Work Hygienic Practices:REMOVE & WASH CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health
======== Physical/Chemical Properties ====================================
HCC:F2 Boiling Pt:B.P. Text:240 TO 285F Vapor Density:> AIR Spec Gravity:1.4 Evaporation Rate & Description
======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS

Stability Condition to Avoid: KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES &

Hazardous Decomposition Products:MAY FORM TOXIC

MATERIALS: CARBON DIOXIDE AND CARBON MONOXIDE.

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS. CONTACT LOCAL CHEMICAL WASTE COMPANY FOR FURTHER INFORMATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, express

ly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.