View NSN Online: https://aerobasegroup.de/nsn/9130-01-090-1092

Product ID:GASOHOL, SUPER GASOHOL MSDS Date:01/01/1990 FSC:9130 NIIN:01-090-1092 **MSDS Number: BRPGJ** === Responsible Party === **Company Name:CONOCO INC** Box:2197 City:HOUSTON State:TX ZIP:77252 Country:US Info Phone Num:713-293-5550 Emergency Phone Num:800-424-9300 TRANS 800-441-3637 MED CAGE:5R396 === Contrac tor Identification === **Company Name:CONOCO INC** Address:5 GREENWAY PLAZA E Box:2197 City:HOUSTON State:TX ZIP:77252 Country:US Phone:713-293-5550PRODUCT/ 800-4413637MED CAGE:5R396 Ingred Name: GASOLINE UNLEADED Fraction by Wt: >50% Other REC Limits:NONE RECOMMENDED Ingred Name: BENZENE (SARA III) CAS:71-43-2 RTECS #:CY1400000 Fraction by Wt: 0.1-4.9% Other REC Limits:NONE RECOMMENDED OSHA PEL:1PPM/5STEL;1910.1028 ACGIH TLV:10

PPM; A2; 9293 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 10% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9293

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 12% Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RT ECS #:XS5250000 Fraction by Wt: 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:CONTAINS PETROLEUM HYDROCARBONS WHICH MAY CAUSE IRRITATION TO THE EYES, SKIN, AND LUNGS W/PROLONGED/REPEATED EXPO

 SURE. CONTAINS ETHYL ALCOHOL, EXTREME EXPOSURE OR ASPIRATION INTO LUNGS MAY CAUSE PNEUM ONIA, DROWSINESS, DIZZINESS, SLURRED SPEECH, FLUSHED FACE, UNCONXCIOUSNESS OR CONVULSIONS. TOXIC TO LIVER & KIDNEYS. Explanation of Carcinogenicity:CONTAINS B [71-43-2] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN. Effects of Overexposure:IRRITATION TO THE EYES, SKIN, AND LUNGS AFTER PROLONGED/REPEATED EXPOSURE. ALSO MAY CAUSE PNEUMONIA, DROWSINESS, DIZZINESS, SLURRED SPEECH, FLUSHED FACE, UNCONXCIOUSNESS OR CONVULSIONS. Medical Cond Aggravated by Exposure:PROLONGED/REPEATED SKIN CONTACT
======================================
 First Aid:IF IRRITATION PERSISTS OR IS SEVERE, SEE A DOCTOR. EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALED:REMOVE TO FRES H AIR. AID/RESTORE BREATHING IF NECESSARY. INGESTED:DO NOT INDUCE VO MITING. GIVE 2 LARGE GLASSES OF MILK OR WATER TO DILUTE & GET IMMEDIATE MEDICAL CARE. NOTHING BY MOUTH IF UNCONSCIOUS. ====================================
Flash Point Method:TCC Flash Point:-50F,-46C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WATER MAY BE INEFFECTIVE, BUT MAY BE USED TO COOL FIRE EXPOSED CONTAINERS & TO DISPERSE VAPORS OR FLUSH LIQUID FROM ARE AS OF IGNITION EXPOSURE. Unusual Fire/Explosion Hazard:HIGHLY FLAMMABLE! PRODUCTS OF COMBUSTION ARE CO, CO2 & OTHER TOXICS. DO NOT ENTER TANKS, VESSELS OR CONFINED SPACES W/O PROTECTIVE EQUIPMENT & SCBA. ====================================
Spill Release Procedures: REVIEW FIRE & EXPLOSION HAZARDS. WEAR

PROTECTIVE EQUIPMENT. FLAMMABLE! CONTAIN SPILL TO AS SMALL AREA AS POSSIBLE. RECOVER AS MUCH LIQUID AS POSSIBLE. PLACE NON-RECOVERABLE PRODUCT

& CONTAMINATED SOIL & DEBRIS IN CONTAINERS FOR DISPOSAL. Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

Handling and Storage Precautions:MFR: ? HMIS:HANDLE AND STORE AS A HIGHLY FLAMMABLE LIQUID.

Other Precautions:"EMPTY" CONTAINERS CAN CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, DRILL, GRIND, WELD OR PERFORM SIMILAR OPERATIONS ON OR NEAR CONTAINERS. STATIC ELECTRICITY MAY ACCUMULATE AND CREATE A FIRE HAZA

RD. GROUND CONTAINERS, FIXED & TRANSFER EQUIPMENT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: SELECT APPROPRIATE NIOSH APPROVED RESPIRATOR TO MAINTAIN EXPOSURE BEOW ACCEPTABLE LIMITS.

Ventilation:USE ADEQUATRE VENTILATION TO MEET RECOMMENDED CONCENTRATION. AVOID SPARKING AND EXPLOSIVE MIXTURES. Protective Gloves:NEOPRENE, NBR Eye Protection:GOGGLES OR FACESHIELD IF SPLASH POSSIBLE Other Protective Equipment:SUFFICIENT PROTECTIVE CLOTHING TO MINIMIZE SKIN EXPOSURE. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Work Hygienic Practices:MFR: ? HMIS:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health

KEY2:KT

HCC:F1

NRC/State Lic Num:NONE Boiling Pt:B.P. Text:85.0F,29.4C Vapor Pres:275-535 MM Vapor Density:>1 Spec Gravity:0.71-0.78 Solubility in Water:PARTIALLY SOLUBL E Appearance and Odor:WATER WHITE TO STRAW COLORED LIQUID, GASOLINE ODOR Percent Volatiles by Volume:100 %

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:CARBON MONOXIDE MAY BE FORMED BY INCOMPLETE COMBUSTION. Conditions to Avoid Polymerization:WILL NOT OCCUR

====== Disp

osal Considerations ==============

Waste Disposal Methods:RECYCLE AS MUCH AS POSSIBLE. TREATMENT, STORAGE, TRANSPORTATION & DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS. DO NOT WASH OR DRAIN TO SEWERS, WATERWAYS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informatio n to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.