

LOCTITE CORPORATION -- LOCQUIC (R) PRIMER T, P/N 74771 -- 8030-00-082-2508

=====
Product Identification
=====

Product ID:LOCQUIC (R) PRIMER T, P/N 74771

MSDS Date:01/04/1993

FSC:8030

NIIN:00-082-2508

MSDS Number: BRQMD

=== Responsible Party ===

Company Name:LOCTITE CORPORATION

Address:705 NORTH MOUNTAIN ROAD

City:NEWINGTON

State:CT

ZIP:06111-1411

Country:US

Info Phone Num:203-278-1280

Emergency P

hone Num:203-278-1280

Preparer's Name:STEPHEN REPETTO

CAGE:05972

=== Contractor Identification ===

Company Name:LOCTITE CORPORATION

Address:1001 TROUT BROOK CROSSING

Box:City:ROCKY HILL

State:CT

ZIP:06067-3910

Country:US

Phone:860-571-5100

CAGE:05972

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHANE, 1,1,1-TRICHLOROETHANE

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 85-100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:350 PPM;STEL 450 PPM

ACGIH TLV:350 PPM;STE

L 450 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:TERT-BUTYL ALCOHOL
CAS:75-65-0
RTECS #:EO1925000
Fraction by Wt: 1-3%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM
ACGIH TLV:100PPM 9394

Ingred Name:METHANE, DIMETHOXY-
CAS:109-87-5
RTECS #:PA8750000
Fraction by Wt: 1-3%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM;3100 MG/M3
ACGIH TLV:1000 PPM;3110 MG/M3

Ingred Name:ISOPROPYL ALCOHOL
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 0.1-1%
Other
REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM;STEL 500 PPM
ACGIH TLV:400 PPM;STEL 500 PPM

Ingred Name:N,N-DIALKYTOUIDINE
CAS:99-97-8
Fraction by Wt: 1-3%
Other REC Limits:NONE SPECIFIED

Ingred Name:2-MERCAPTOBENZOTHAZOLE
CAS:149-30-4
RTECS #:DL6475000
Fraction by Wt: 1-3%
Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 200 G/L OF MATERIAL; 1225 G/L LESS EXEMPT COMPOUNDS;
1277 G/L EXEMPT COMPOUNDS
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

===== Hazards Identificatio

n =====

LD50 LC50 Mixture:DERMAL LD50 MORE THAN 2000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TOXICITY: POSSIBLE EYE IRRITANT.
MODERATELY TOXIC BY INGESTION.

Effects of Overexposure:HEADACHE, NAUSEA, DIZZINESS. NARCOSIS AT HIGH
CONCENTRATION.

Medical Cond Aggravated by Exposure:CENTRAL NERVOUS SYSTEM (CNS),
LIVER, HEART DISEASE; ALCOHOLISM, SKIN DISORDERS, EYE
AND
RESPIRATORY PROBLEMS. SKIN DISORDERS.

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET
MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS
PERSIST, GET MEDICAL ATTENTION. SKIN CONTACT: WASH WITH SOAP &
WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER. GET
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Met

hod:TCC

Flash Point:147F,64C

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ALLOW TO EVAPORATE WITH GOOD VENTILATION. SOAK
UP RESIDUE IN AN INERT ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110 F TO PRESERVE SHELF
LIFE. AVOID PROLONGED BREATHING OF VAPOR. KEEP AWAY FROM E
YES.

AVOID PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:PROVIDE ADEQUATE VENTILATION TO MAINTAIN VAPOR
CONCENTRATION BELOW TLV.

Protective Gloves:RUBBER OR PLASTIC

Eye Protection:SAFETY GLASSES OR GOGGLES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:170 TO 180F

Vapor Pres:100 @70F

Vapor Density:4.5

Spec Gravity:1.3 AT 70 F

Solubility in Water:S

LIGHT

Appearance and Odor:YELLOW LIQUID, SHARP ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SOLVENT MAY REACT VIOLENTLY WITH ALUMINUM ON PROLONGED CONTACT.

Hazardous Decomposition Products:TOXIC CHLORIDES BY FIRE OR THERMAL
DECOMP

===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW EPA AND LOCAL REGULATIONS FOR DISPOSAL OF
CHLORINATED HYDROCARBONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.