Product ID: ANTISEIZE COMPOUND X-603B MSDS Date:09/13/1991 FSC:8030 NIIN:00-201-0996 MSDS Number: BRQMR === Responsible Party === Company Name: STEVEN INDUSTRIES, INCORPORATED Address:39 AVENUE C Box:8 **City:BAYONNE** State:NJ ZIP:07002-3417 Country:US Info Phone Num:201-437-6500 Emergen cy Phone Num:201-437-6500 800-424-9300(CHEMTREC) Preparer's Name:MARIO NAVARRO CAGE:33150 === Contractor Identification === Company Name: STEVEN INDUSTRIES Address:39 AVENUE C Box:8 **City:BAYONNE** State:NJ ZIP:07002-3417 Country:US Phone:201-437-6501 CAGE:33150

Ingred Name:CARBON CAS:7440-44-0 RTECS #:FF5250000 Fraction by Wt: 50% Other REC Limits:NONE SPECIFIED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:

PETROLATUM
CAS:8012-95-1
RTECS #:PY8030000
Fraction by Wt: 45-50%
Other REC Limits:NONE SPECIFIED

======================================
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:EYES: IRRITATION. SKIN: POSSIBLE IRRITATION.
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL A PHYSICIAN. SKIN: WASH WITH SOAP & WATER. INHALATION: REMOVE TO WELL
VENTILATED AREA. INGESTION: CALL A PHYSICIAN.
======================================
Flash Point Method:TCC Flash Point:300F,149C Extinguishing Media:DRY CHEMICAL, CO2 Fire Fighting Procedures:EXTINGUISH WITH DRY CHEMICAL OR CARBON DIOXIDE (CO2).
======================================
Spill Release Procedures: IF SPILLED: WIPE UP AND DISPOSAL.
======================================
Handling and Sto rage Precautions:STORE AT REASONABLE TEMPERATURES. 40 TO 90 DEGREES F. (4-32 C).
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection: IF DESIRED ALTHOUGH NONE NECESSARY. Ventilation: LOCAL EXHAUST Protective Gloves: IF DESIRED ALTHOUGH NOT NECESSARY. Eye Protection: SAFETY GOGGLES Supplemental Safety and Health
======================================

HCC:N1 Boiling Pt:B.P. Text:300F,149C Melt/Freeze Pt:M.P/F.P Text:300F,149C Vapor Pres:NEGLIGIBLE Spec Gravity:1.49 (WATER=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK PASTE, OILY ODOR Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:AVOID SOURCE OF IGNITION. Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE

Waste Disposal Methods:AS PER LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabil ity of this information to their particular situation.