

ACCUTONE,INC -- CANON SX CARTRIDGE REPLACEMENT TONER -- 6850-01-261-6064

=====  
Product Identification  
=====

Product ID:CANON SX CARTRIDGE REPLACEMENT TONER

MSDS Date:08/27/1993

FSC:6850

NIIN:01-261-6064

MSDS Number: BRQSF

=== Responsible Party ===

Company Name:ACCUTONE,INC

Address:2800 NW 55TH COURT

City:FT. LAUDERDALE

State:FL

ZIP:33309

Country:US

Info Phone Num:305-739-7040/1-800-967-6765

Emerg

ency Phone Num:305-739-7040

CAGE:IO334

=== Contractor Identification ===

Company Name:ACCUTONE INC

Address:2800 NW 55TH CT

Box:City:FORT LAUDERDALE

State:FL

ZIP:33307

Country:US

Phone:800-237-9509

CAGE:IO334

Company Name:AMERICAN LASER PRODUCTS INC

Address:900-B E MIRICLE MILE

Box:City:MCALLEN

State:TX

ZIP:78501

Country:US

Phone:512-686-7404

CAGE:0K1B9

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STYRENE-ACRYLATE COPOLYMER

Fraction by Wt: 55-70%

Other REC Li

imits:NONE SPECIFIED

Ingred Name:MAGNETIC OXIDE  
Fraction by Wt: 25-35%  
Other REC Limits:NONE SPECIFIED

Ingred Name:CCA  
Fraction by Wt: 1-3%  
Other REC Limits:NONE SPECIFIED

Ingred Name:PLOYWAX  
Fraction by Wt: 2-6%  
Other REC Limits:NONE SPECIFIED

Ingred Name:POST ADDITIVES  
Fraction by Wt: 0.5-1.5%  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS UNKNOWN.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion  
:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NO KNOWN HEALTH HAZARD WHEN USED AS  
INTENDED IN A PRINTING DEVICE. HOWEVER WHEN HANDLING TONER AND/OR  
CLEANING/SERVICING PRINTING DEVICE: EYES: IRRITATION FROM DUST.  
SKIN: NO KNOWN HAZARD. INHALATION: DUST IRRITATION OF RESPIRATORY  
SYSTEM,GASPING, COUGHING. INGESTION: NO KNOWN HAZARD.  
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS  
CURRENTLY CLASSIFIED AS CARCINOGENIC BY  
NTP, IARC OR OSHA.  
Effects of Overexposure:EYES: IRRITATION FROM DUST. SKIN: NO KNOWN  
HAZARD, INHALATION: RESPIRATORY IRRITATION, GASPING, COUGHING.  
INGESTION: NO KNOWN HAZARD..  
Medical Cond Aggravated by Exposure:NO KNOWN HEALTH HAZARD WHEN USED AS  
INTENDED IN A PRINTING DEVICE. HOWEVER, WHEN CLEANING/SERVICING  
PRINTING DEVICE, EXPOSURE TO DUST MAY AGGRAVATED RESPIRATORY  
AILMENTS.

===== First Aid Measures =====

First Aid:EYES: FLUSH WI

TH LARGE AMOUNTS OF WATER. SKIN: WASH AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. INGESTION: NOT A LIKELY SOURCE OF EXPOSURE.

===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, WATER, DRY CHEMICAL EXTINGUISHER.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:POSSIBLE CONDITIONS COULD CREATE A DRY DUST EXPLOSION. AVOID SOURCES OF IGNITION.

===== Accidental Release Measures =====

====

Spill Release Procedures:AVOID GENERATION AND INHALATION OF DUST. SWEEP MATERIAL UP AND COLLECT FOR PROPER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM CONTACT WITH OXIDIZING MATERIALS. AVOID GENERATING AIRBORNE DUST.

Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protectio

n:NONE REQUIRED DURING PRINTING CYCLE. AVOID DIRECT HEAVY INHALATION OF PRODUCT.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Tex

t:212F,100C

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.25-1.65

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water: