

MALLINCKRODT INC -- POTASSIUM IODIDE -- 6810-00-264-6635

===== Product Identification =====

Product ID:POTASSIUM IODIDE

MSDS Date:10/18/1985

FSC:6810

NIIN:00-264-6635

MSDS Number: BRRJW

=== Responsible Party ===

Company Name:MALLINCKRODT INC

Box:5439

City:ST LOUIS

State:MO

ZIP:63147

Country:US

Info Phone Num:314-982-5000

Emergency Phone Num:314-982-5000

CAGE:37940

=== Contractor Identification ===

Company Name:MALLINCKRODT INC

Address:675 MCDONNELL BLVD

Box:5840

City:ST. LOUIS

State:MO

ZIP:63134

Country:US

Phone:314-539-1600

CAGE:37940

===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM IODIDE

CAS:7681-11-0

RTECS #:TT2975000

Ingred Name:NONHAZARDOUS INGREDIENTS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of

Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHAL: INHAL OF DUST MAY CAUSE IRRIT OF RESP TRACT. INGEST: LARGE DOSES MAY CAUSE GI UPSET AND WEAKNESS. SKIN: MAY CAUSE MILD IRRIT AND REDDENING ON PROLONGED CONTACT. EYE: CAN BE IRRITATING TO EYES, W/REDNESS, PAIN. CHRONIC: CHRONIC INGEST OF IODIDES MAY PRODUCE "IODISM", WHICH MAY BE (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: MANIFESTED BY SKIN RASH, RUNNING

NOSE, HEADACHE AND IRRITATION OF MUC MEMB. WEAKNESS, ANEMIA, LOSS OF WEIGHT, AND GENERAL DEPRESSION MAY ALSO OCCUR.

Medical Cond Aggravated by Exposure:NO INFORMATION FOUND.

=====
First Aid Measures
=====

First Aid:INHAL: REMOVE TO FRESH AIR. GET MED ATTN FOR ANY BRTHG DFCLTY. INGEST: GIVE LG QTY OF WATER TO SWALLOW, THEN INDUCE VOMIT BY INSERTING FINGER TO BACK OF THROAT. CALL A PHYS. SKIN: WASH EXPOSED AREA WI TH S

OAP & WATER. GET MED ADVICE IF IRRIT DEVELOPS.

EYE: WASH THORO W/RUNNING WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ADVICE IF IRRITATON DEVELOPS.

=====
Fire Fighting Measures
=====

Extinguishing Media:USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE.

Fire Fighting Procedures:NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE A FIRE AND EXPLOSION HAZARD.

=====
Accidental Release Measures
=====

Spill Release Procedures:VENT AREA OF LEAK/SPILL. CLEAN-UP PERS MAY REQ RESP PROT FROM DUST. SPILLS: SWEEP UP & CONTAINERIZE FOR RECLAMATION OR DISP. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID DUST DISPERSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP IN A TIGHTLY CLOSED CONTAINER, STORED IN A COOL, DRY, WELL VENTI

LATED AREA. PROTECT FROM PHYSICAL
DAMAGE AND DIRECT SUNLIGHT.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR CNDTNS OF USE WHERE EXPOS TO DUST IS
APPARENT, A NIOSH/MSHA APPRVD DUST/MIST RESP MAY BE WORN. FOR EMER,
A NIOSH/MSHA APROVED SCBA MAY BE NECESSARY.

Ventilation:IN GEN, DILUT VENT IS A SATIS HLTH HAZ CTL FOR THIS
SUBSTANCE. HOWVER, IF CNDTNS OF USE CREATE DISCOMFORT (SUPP DA
TA)

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:LAB COAT, APRON OR COVERFALLS. MAINTAIN EYE
WASH FOUNTAIN AND QUICK-DRENCK FACILITIES IN WORK AREA.

Work Hygienic Practices:CONTACT LENSES SHOULD NOT BE WORN WHEN WORKING
WITH THIS MATERIAL.

Supplemental Safety and Health

SOL IN H*2O: 140 GRAMS/100 GM IN WATER. VENT: TO WORKER, A LOCAL
EXHAUST SYSTEM SHOULD BE CONSIDERED.

===== Physical/Chemical Properties ==

Boiling Pt:B.P. Text:2588F,1420C

Melt/Freeze Pt:M.P/F.P Text:1333F,723C

Vapor Pres:1 @745C

Solubility in Water:SUPP DATA

Appearance and Odor:WHITE CRYSTALIS, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

DIAZONIUM SALTS; DIISOPROPYL PEROXYDICARBONATE; OXIDANTS; BROMINE &
CHLORINE TRIFLUORIDES, FLUORINE PERCHLORATES.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition

Products:OXIDES OF CONTAINED METAL AND HALOGEN,
POSSIBLY ALSO FREE, OR IONIC HALOGEN.

===== Disposal Considerations =====

Waste Disposal Methods:WHATEVER CANNOT BE SAVED FOR RECLAMATION MAY BE
DELIVERED TO AN APPROVED WASTE DISPOSAL FACILITY. ENSURE COMPLIANCE
WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of De

fense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.