

ABSORPTION CORP -- ABSORBENT GP (ALL PURPOSE), ABSORBENT W PN# -- 9330-01-379-8376

===== Product Identification =====

Product ID:ABSORBENT GP (ALL PURPOSE), ABSORBENT W PN#

MSDS Date:10/01/1992

FSC:9330

NIIN:01-379-8376

MSDS Number: BRSXP

=== Responsible Party ===

Company Name:ABSORPTION CORP

Address:1051 HILTON AVE

City:BELLINGHAM

State:WA

ZIP:98225

Country:US

Info Phone Num:206-734-7415

Emergenc

y Phone Num:206-734-7415

CAGE:0GCG4

=== Contractor Identification ===

Company Name:ABSORPTION CORP

Address:1051 HILTON AVE

Box:City:BELLINGHAM

State:WA

ZIP:98225

Country:US

Phone:360-734-7415

CAGE:0GCG4

===== Composition/Information on Ingredients =====

Ingred Name:CELLULOSE

CAS:9004-34-6

RTECS #:FJ5691460

Fraction by Wt: 100% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3; 9293

===== Hazards Identification =====

===

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE EXPECTED.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.
Effects of Overexposure:NONE EXPECTED. POSSIBLE EYE IRRITATION FROM
MECHANICAL EXPOSURE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CONTACT PHYSICIAN IF
IRRITATION PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:OC
Flash Point:500F,260C
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY OR FOG.
Fire Fighting Procedures:TREAT AS FIRE OR WOOD
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:MATERIAL IS NON-LIQUID IN ITS UNALTERED STATE.
SWEEP UP AND COLLECT
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:UNLIMITED SHELF LIFE. STORE IN DRY
AREA.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory P

rotection:NORMAL SAFETY WEAR
Ventilation:NONE SPECIFIED BY MANUFACTURER.
Protective Gloves:NORMAL
Eye Protection:NORMAL SAFETY WEAR
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT
AND BEFORE EATING DRINKING OR SMOKING.
Supplemental Safety and Health
PRODUCT IS A SORBENT MATERIAL. ONCE IT ABSORBS MATERIAL TREAT IT IN
ACCORDANCE WITH FIRST AID PRACTICES APPLICABLE TO CONTAMINANTS
ABSORBED, IE, SOLVENTS,
PAINTS, FUELS, LUBRICANTS AND OTHER
CHEMICALS .

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NOT GIVEN
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Vapor Pres:NOT GIVEN
Vapor Density:NOT GIVEN
Spec Gravity:0.1
Evaporation Rate & Reference:NIL
Solubility in Water:NOT GIVEN
Appearance and Odor:LIGHT GREY PARTICLES CONTAINED IN 17" X 17" PILLOW,
NO ODOR
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====
=====

Stability Indicator/Materials to Avoid:YES
INORGANIC ACIDS AND CAUSTIC SOLUTIONS
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.