Product ID: HYDROXYLAMINE SULFATE, N646 MSDS Date:10/28/1985 FSC:6810 NIIN:00-527-9666 MSDS Number: BRTFV === Responsible Party === Company Name: J.T. BAKER CHEMICAL CO Address:222 RED SCHOOL LANE City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Info Phone Num:800-JTBAKER **Emergency Phone Num:201-8** 59-2151/800-424-9300(CHEMTREC) CAGE:DO870 === Contractor Identification === Company Name: J.T. BAKER CHEMICAL CO. Address:222 RED SCHOOL LANE City:PHILLIPSBURG State:NJ ZIP:08865-2219 Country:US Phone:201-859-2151 CAGE:DO870 Company Name: MALLINCKRODT BAKER, INC. Address:222 RED SCHOOL LANE Box:City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Phone:800-582-2537 CAGE:70829 Company Name: SHAPE PRODUCTS Address:1127 57TH AVE. Box:City:OAKLAND State:CA ZIP:94621-4427 Country:US Phone:510-534-1186 OR 800

-444-0015 CAGE:3D869

Ingred Name:HYDROXYLAMINE SULFATE CAS:10039-54-0 RTECS #:NC5425000 Fraction by Wt: 90- 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- WARNING! HARMFUL IF SWALLOWED. CAUSES SEVERE IRRITATION OF EYES OR SKIN. DUST MAY IRRITATE OR BURN MUCOUS MEMBRANES. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:SEVERE EYE, SKIN, RESPIRATORY TRACT AND GASTROINTESTINAL TRACT IRRITATION, SKIN AND EYE BURNS Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

========================== Fi

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE/SKIN:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:IF CONSCIOUS, DRINK LARGE AM OUNT OF WATER & INDUCE VOMITING. CALL PHYSICIAN.

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. U

SE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard:CAN BE AN EXPLOSION HAZARD, ESPECIALLY
WHEN HEATED.
======================================
Spill Release Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. WITH CLEAN DRY S HOVEL, CAREFULLY PLACE
MATERIAL INTO CLEAN, DRY CONTAINER AND COVER. REMOVE FROM AREA. FLUSH SPILL AREA WITH WATER . Neutralizing Agent:WEAK BASE
======================================
Handling and Storage Precautions:STORAGE COLOR CODE: ORANGE. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH EYES AND SKIN. DO NOT BREATHE DUS TS.
======================================
Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED DUST RESPIRATOR OR DUST MASK. Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE. Protective Gloves:RUBBER OR LATEX RECOMMENDED Eye Protection:CHEMICAL SPLASH GOGGLES & FACE SHIELD Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, UNIFORM Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
======================================
HCC:C1 NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:338F,170C Spec Gravity:1.90

Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:APPRECIABLE (>10%) Appearance and Odor:WHITE CRYSTALS Percent Volatiles by Volume:0

==

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG BASES, ALKALI METALS Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:AMMONIA, NITROGEN OXIDES AND SULFUR OXIDES

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. NATIONAL RESPONSE CENTER # (800) 424-8802.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situati on.