

LA GLORIA OIL & GAS COMPANY -- TURBINE FUEL, AVIATION, JP-8

=====
MSDS Safety Information
=====

FSC: 9130
NIIN: 01-031-5816
MSDS Date: 06/10/1993
MSDS Num: BRTGN
Product ID: TURBINE FUEL, AVIATION, JP-8
MFN: 01
Responsible Party
Cage: MO636
Name: LA GLORIA OIL & GAS COMPANY
Box: 840
City: TYLER TX 75710
Info P
Phone Number: 903-535-2244
Emergency Phone Number: 903-535-2244
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: MO636
Name: LA GLORIA OIL & GAS COMPANY
Address: UNKNOWN
Box: 840
City: TYLER TX 75710
Phone: 903-535-2244
Cage: 3K472
Name: LA GLORIA OIL AND GAS CO
Address: 1702 E COMMERCE
City: TYLER TX 75710
Phone: 214-535-2244

=====
Item Description Information
=====

Item Name: TURBINE FUEL,AVIATION
Unit of Issue: GL
UI Container Qty: X

=====
Ingredients
=====

Name: PETROLEUM MIDDLE DISTILLATE
% Wt: 100 %
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====
Health Hazards Data
=====

=====
LD50 LC50 Mixture: NOT SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: IT MAY CAUSE IRRITATION TO EYES, LUNGS OR SKIN AFTER PROLONGED EXPOSURE.

Explanation Of Carcinogenicity: PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Signs And Symptoms Of Overexposure: EYE IRRITATION, RESPIRATORY IRRITATION,

SKIN IRRITATION.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL AID. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH LARGE AMOUNTS OF SOAP AND WATER. IF IRRITATION PERSISTS GET MEDICAL AID. INHALATION: REMOVE TO FRE SH AIR. IF BREATHING HAS STOPPED ADMINISTER ARTIFICIAL RESPIRATION. GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL AID.

=====
=====

Handling and Disposal

=====
=====

Spill Release Procedures: CONTAIN SPILL. REMOVE AS MUCH AS POSSIBLE BY VACUUMING OR SOAK UP USING ABSORBENT MATERIALS. KEEP AWAY FROM HEAT OR FLAME.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

H

Handling And Storage Precautions: KEEP AWAY FROM HEAT OR FLAME.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

===== Fire and Explosion Hazard Information

=====
=====

Flash Point Method: TCC

Flash Point Text: 122F,50C

Autoignition Temp Text: 425F

Lower Limits: 0.9 %

Upper Limits: 6.0 %

Extinguishing Media: FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures: DO NOT USE STRAIGHT

WATER STREAM ON FIRE AS IT WILL

SCATTER FIRE.

Unusual Fire/Explosion Hazard: DO NOT ENTER CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY PROTECTION. VAPOR MAY EXPLODE.

=====
Control Measures
=====

Respiratory Protection: NORMALLY NOT REQUIRED. NIOSH APPROVED ORGANIC VAPOR RESPIRATOR TO PREVENT INHALATION WHEN IN CONFINED AREAS.

Ventilation: MECHANICAL EXPLOSION PROOF IN ENCLOSED AREAS.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL SPLASH GOGGLES OR FACE SHIELD

Other Protective Equipment: PROTECTIVE CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT.

Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

=====
HCC: F4

B.P. Text: 330F,166C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: 2

Vapor Density: 4.2

Spec Gravity: 0.825

Evaporation Rate & Reference: 0.5 (ETHER=1)

Solubility in Water: SLIGHT

Appearance and Odor: CLEAR LIQUID, PETROLEUM ODOR

Percent Volatiles by Volume: 100 %

Corrosion Rate: UNKNOWN
=====

Reactivity Data
=====

Stability Indicator: YES

Stability Condition To

Avoid: KEEP AWAY FROM HEAT OR FLAME.

Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: CARBON MONOXIDE

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.
=====

Toxicological Information
=====

=====
Ecological Information
=====

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

n

=====

Responsible Party Code: MO636

Trans ID NO: 100427

Product ID: TURBINE FUEL, AVIATION, JP-8

MSDS Prepared Date: 06/10/1993

Review Date: 11/05/1993

MFN: 1

Net Unit Weight: BULK

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: GL

Container QTY: X

Additional Data: FILM OR SHEEN UPON THE WATER SURFACE OR DISCOLORATION OF THE WATER OR ADJOINING SHORELINE IS REPORTABLE TO THE NATIONAL RESPONSE CENTER AT 1-800-424-8802.

=====

=====

Detail DOT Information

=====

DOT PSN Code: GOA

DOT Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE

Hazard Class: 3

UN ID Num: UN1863

DOT Packaging Group: III

Label: FLAMMABLE LIQUID

Special Provision: B1, T1

Packaging Exception: 150

Non Bulk Pack: 203

Bulk Pack: 242

Max Qty Pass: 60 L

Max Qty Cargo: 220 L

Vessel Stow Req: A

=====

Detail IMO Information

=====

IMO PSN Code: HNV
IMO Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE
IMDG Page Number: 3271
UN Number: 1863
UN Hazard Class: 3.2
IMO Packaging Group: I/II
Subsidiary Risk Label: -
EMS Number: 3-07
MED First Aid Guide NUM: 311

=====

Detail IATA Information

=====

IATA PSN MF
IATA UN ID Num: 1863
IATA Proper Shipping Name: FUEL, AVIATION,
TURBINE ENGINE
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310

=====

Detail AFI Information

=====

AFI PSN MF
AFI Proper Shipping Name: FUEL, AVIATION, TURBINE ENGINE
AFI Hazard Class: 3
AFI UN ID NUM: UN1863
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3

==

=====

HAZCOM Label

=====

Product ID: TURBINE FUEL, AVIATION, JP-8
Cage: MO636
Assigned IND: Y
Company Name: LA GLORIA OIL & GAS COMPANY
Street: UNKNOWN
PO Box: 840
City: TYLER TX
Zipcode: 75710
Health Emergency Phone: 903-535-2244
Label Required IND: Y
Date Of Label Review: 11/05/1993
Status Code: C
MFG Label NO: NONE
Label Date: 11/05/1993
Year Procured: 1993
Origination Code: F
Eye Protection

IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: Moderate

Reactivity Hazard: None

Hazard And Precautions: KEEP AWAY FROM HEAT OR FLAME. FIRST AID: EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL AID. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH LARGE AMOUNTS OF SOAP AND WATER. IF IRRITATION PERSISTS GET MEDICAL AID. INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED ADMINISTER ARTIFICIAL RESPIRATION. GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL AID.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.