View NSN Online: https://aerobasegroup.de/nsn/6630-01-029-5178

Product ID: ISOTERGE II 5 LITER COULTER 7546039 MSDS Date:08/12/1985 FSC:6530 NIIN:01-029-5178 MSDS Number: BRYFF === Responsible Party === Company Name: COULTER DIAGNOSTICS Address:590 W 20TH ST Box:4750 City:HIALEAH State:FL ZIP:33014-0750 Country:US Info Phone Num:800-424-9300 Emergen cy Phone Num:800-424-9300 CAGE:COLDI === Contractor Identification === Company Name: COULTER DIAGNOSTIC INC Address:7381 EMPIRE DR **City:FLORENCE** State:KY ZIP:41042 Country:US CAGE:COLDI Company Name: COULTER SCIENTIFIC INC Address:590 W 20TH STREET Box:City:HIALEAH State:FL ZIP:33010-2427 Country:US Phone:800-424-9300(CHEMTREC) CAGE:2S502 **Company Name: CURTIN MATHESON SCIENTIFIC INC** Address:20100 E 357H DR Box:City:AURORA State:CO ZIP:80011-8154 Country:US Phone:303-340-2727 CAGE:4S896

== Composition/Information on Ingredients ==========

Ingred Name:ETHYLENE GLYCOL PHENYL ETHER, 2-PHENOXYETHANOL PHENOXYETHANOL CAS:122-99-6 RTECS #:KM0350000 Fraction by Wt: 0.22%
Ingred Name:SODIUM FLUORIDE CAS:7681-49-4 RTECS #:WB0350000 Fraction by Wt: 0.05% OSHA PEL:2.5 MG/CUM ACGIH TLV:2.5 MG/CUM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NAUSEA & VOMITING IF 1 GRAM IS
INGESTED. Explanation of Carcinogenicity:NONE Effects of Overexposure:INGESTION: NAUSEA & VOMITING.
======================================
First Aid:EYE/SKIN: FLUSH AFFECTED AREAS THOROUGHLY W/PLENTY OF COLD WATER FOR AT LEAST 15 MINS. INGESTION: GIVE LARGE DOSES OF EFFERVESCENT CALCIUM GLUCONATE SOLUTION TO DRINK (6 TABLETS IN COPIOUS AMOUNTS OF WATER OR MILK). IMMEDIATELY CONTACT PHYSICIAN.
======================================
Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: FLUSH W/WATER TO APPROVED OUTSIDE DRAINAGE.
======================================
Handling and Storage Precautions: HANDLE AS NORMAL MATERIAL.
======================================
Suppl

emental Safety and Health

Boiling Pt:B.P. Text:212F

Stability Indicator/Materials to Avoid:YES

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulate

d for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.