View NSN Online: https://aerobasegroup.de/nsn/6850-01-052-0892

XEROX CORPORATION -- 8200/8700/8790/9200/9210/9400/9500/9700/9790/9900/9950

6850-01-052-0892

============= Product Identification ==================

Product ID:8200/8700/8790/9200/9210/9400/9500/9700/9790/9900/9950

MSDS Date:12/14/1991

FSC:6850

NIIN:01-052-0892

MSDS Number: BSFJZ === Responsible Party ===

Company Name: XEROX CORPORATION

Address:100 CLINTON AVE S

City:ROCHESTER

State:NY

ZIP:14644-1877 Country:US

Info

Phone Num:800-828-6571

Emergency Phone Num:716-422-2177

CAGE:9K207

=== Contractor Identification ===

Company Name: XEROX CORPORATION

Address:100 CLINTON AVE S

Box:City:ROCHESTER

State:NY

ZIP:14644-1877 Country:US CAGE:9K207

======= Composition/Information on Ingredients ========

Ingred Name: STYRENE, ACRYLATE COPOLYMER

CAS:25213-39-2

Fraction by Wt: 85-90%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 10-15%

Other REC Li

mits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9293

============= Hazards Identification ======================== LD50 LC50 Mixture:ORAL LD50 (RAT) IS >15.38 G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE IRRITATION-NOT AN IRRITANT. SKIN IRRITATION-NOT AN IRRITANT. Explanation of Carcinogenicity: THIS MATERIAL IS NOT A CARCINOGEN. Effects of Overexposure: MINIMAL RESPI RATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Medical Cond Aggravated by Exposure: NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE. First Aid:EYES-FLUSH WITH WATER. SKIN-WASH WITH SOAP AND WATER. INHALATION-REMOVE FROM EXPOSURE. INGESTION-DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER. ============= Fire Fighting Measures ======================== FI ash Point:N.A. Autoignition Temp: Autoignition Temp Text: N.A. Lower Limits: N.A. Upper Limits:N.A. Extinguishing Media: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE OR FOAM. Fire Fighting Procedures: AVOID INHALATION OF SMOKE. WEAR PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: TONER IS A COMBUSTIBLE POWDER. LIKE MOST ORGANIC MATERIALS IN POWDER FORM, WHEN DISPERSED IN AIR, IT CAN FORM EXPLOSIVE MIXTURES. ====== Accidental Release Measu res ========= Spill Release Procedures: SWEEP UP OR VACUUM SPILLED TONER AND CAREFULLY TRANSFER INTO A SEALABLE WASTE CONTAINER. SWEEP SLOWLY TO MINIMIZE GENERATION OF DUST DURING CLEAN-UP. IF A VACUUM IS USED THE MOTOR MUST BE RATED AS DUS T TIGHT. ============= Handling and Storage ========================== Handling and Storage Precautions: NONE Other Precautions: AVOID PROLONGED INHALATION OF EXCESSIVE DUST. ====== Exposure Controls/Personal Protection =

=========

Respiratory Protection: NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Ventilation: NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Protective Gloves: NONE REQUIRED WHEN USED AS INTENDED.

Eye Protection: NONE REQUIRED WHEN USED AS INTENDED.

Other Protective Equipment: NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FOR USE OTHER THAN NORMAL CUSTOMER-OPERATING PROCEDURE S (SUCH AS IN

BULK TONER PROCESSING FACILITIES), GOGGLES AND RESPIRATORS MAY BE REQUIRED. FOR MORE INFORMATION, CONTACT XEROX.

HCC:N1
Boiling Pt:B.P. Text:N.A.
Melt/Freeze Pt:M.P/F.P Text:N.A.
Vapor Pres:N.A.
Vapor Density:N.A.
Spec Gravity: 1

pH:N.A.

Viscosity:N.A.

Evaporation Rate & Deference: N.A.

Solubility in Water: NEGLIGIBLE

Appearance and Odor:BLACK POWDER/FAINT ODOR.

Percent Volatiles by Volume: N.A.

=====

====== Stability and Reactivity Data ========

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION MAY BE TOXIC. AVOID BREATHING DENSE SMOKE.

======= Disposal Considerations ===========

Waste Disposal Methods:WHEN DISPOSED, THIS MATERIAL IS NOT A HAZARDOUS WASTE ACCORDING TO FEDERAL REGULATION 40 CFR 216. HOWEVER, STATE AND

LOCAL REQUIREMENTS MAY BE MORE RESTRICTIVE. THEREFORE, CONSULT STATE & LOCAL WASTE DISPOSAL AUTHORITIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional a dvice to verify and assume responsibility for the suitability of this information to their particular situation.