View NSN Online: https://aerobasegroup.de/nsn/6850-01-378-0700 INLAND TECHNOLOGY INC -- TEKSOL EP -- 6850-01-378-0700 ============ Product Identification =============== Product ID:TEKSOL EP MSDS Date:10/13/1994 FSC:6850 NIIN:01-378-0700 MSDS Number: BSGLD === Responsible Party === Company Name: INLAND TECHNOLOGY INC Address:401 EAST 27TH ST City:TACOMA State:WA ZIP:98421 Country:US Info Phone Num:206-922-8932 Emergency Phone Num:206-922-8932 CAGE:0K209 === Contractor Identifi cation === Address:401 E 27TH STREET Box:City:TACOMA State:WA ZIP:98421-1203 Country:US Phone:800-552-3100/253-383-1177 CAGE:0K209 ======= Composition/Information on Ingredients ======== Ingred Name: HYDROTREATED HEAVY NAPHTHA (C10-C11 HYDROCARBONS) CAS:64742-48-9 Other REC Limits: NONE RECOMMENDED Ingred Name: D-LIMONENE

CAS:5989-27-5

Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES I

ngestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-PRODUCT CONTACTING THE EYE MAY CAUSE EYE IRRITATION. LOW ORDER ACUTE ORAL AND DERMAL TOXICITY. CHRONIC-PROLONGED OR REPEATED SKIN EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS. Explanation of Carcinogenicity:NONE KNOWN. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE EXISTING DERMATITIS.
== ===================================
First Aid:EYES-IF EYE CONTACT OCCURS, FLUSH WITH WATER FOR AT LEAST 15 MIN OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, CALL DOCTOR. SKIN-IN CASE OF SKIN CONTACT, REMOVE ANY CONTAMINATED CLOTHING & WAS H SKIN THOROUGHLY WITH SOAP & WATER. INHALATION-IF OVERCOME BY VAPOR, REMOVE FROM EXPOSED AREA & CALL PHYSICIAN IMMEDIATELY. INGESTION-DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.
======= ======= Fire Fighting Measures ===============
Flash Point Method:PMCC Flash Point:112F,44C Lower Limits:0.6 Upper Limits:7 Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AND CONFINED SPACES OR AS OTHERWISE NEEDED. Unusual Fire/Explosion Hazard:NONE KNOWN.
======== Accidental Release Measures ==========
Spill Release Procedures:SHUT OFF AND ELIMIATE ALL IGNITAB LE SOURCES. CONTAIN AND COLLECT MATERIAL. ABSORB RESIDUE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:USE AND STORE AWAY FROM HEAT, SPARKS AND OPEN FLAMES. KEEP CONTAINER SEALED WHEN NOT IN USE. Other Precautions:READ AND UNDERSTAND ALL CAUTIONS, LABELS AND MSDS BEFORE USING ANY CHEMICAL PRODUCT.
====== Exposure Controls/Personal Protection ========
Respirator

y Protection: NONE NORMALLY REQUIRED. Ventilation: USE MECHANICAL VENTILATION WHENEVER PRODUCT IS USED IN CONFINED SPACE, IS HEATED ABOVE AMBIENT TEMPERATURE OR IS AGITATE Protective Gloves: USE CHEMICAL RESISTANT GLOVES, IF NEEDED Eye Protection: SPLASH GOGGLES/FACE SHIELD. Other Protective Equipment: NONE NORMALLY REQUIRED. Work Hygienic Practices: MINIMIZE BREATHING OF VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT SKIN Supplemental Safety and Health WASH CONTAMINATED CLOTHING BEFORE RE SUE. KEEP ALL CHEMICALS OUT OF THE REACH OF CHILDREN. ========= Physical/Chemical Properties ============ HCC:F4 Boiling Pt:B.P. Text:310F,154C Vapor Pres:4 Spec Gravity:0.77 Evaporation Rate & Evaporation Rate & Reference: 0.3 (N-BUTYL ACETATE=1) Solubility in Water: NOT WATER SOLUBLE Appearance and Odor: CLEAR WITH MILD CITRUS ODOR. Percent Volatiles by Volume:100 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH STRONG ACIDS AND STRONG OXIDIZING AGENTS. Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: OXIDES OF CARBON AND HYDROCARBONS.

======= Disposal Considerations ===========

Waste Disposal Methods: CONTACT FEDERAL, STATE, COUNTRY OR LOCAL ENVIRONMENTAL REGULATORY AGENCIES FOR GUIDANCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Depar tment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.