

NASHUA CORP -- ROYAL RT-1803 TONER -- 6850-01-239-7609

=====  
Product Identification  
=====

Product ID:ROYAL RT-1803 TONER  
MSDS Date:07/07/1992  
FSC:6850  
NIIN:01-239-7609  
MSDS Number: BSMFR  
=== Responsible Party ===  
Company Name:NASHUA CORP  
Address:44 FRANKLIN ST  
City:NASHUA  
State:NH  
ZIP:03061  
Country:US  
Info Phone Num:800-258-1370/603-880-5749  
Emergency Phone Num:603-880-5555  
Preparer's Name:R L SEV  
IGNY  
CAGE:33959  
=== Contractor Identification ===  
Company Name:NASHUA CORP  
State:NH  
Country:US  
CAGE:33959  
Company Name:NASHUA CORP OFFICE PRODUCTS DIV.  
Address:44 FRANKLIN ST  
Box:City:NASHUA  
State:NH  
ZIP:03060  
Country:US  
Phone:603-880-2323  
CAGE:34936

=====  
Composition/Information on Ingredients  
=====

Ingred Name:RESIN  
Fraction by Wt: 85-90%  
Other REC Limits:10 MG/CUM (DUST)

Ingred Name:COLUMBIA CARBON, CARBON BLACK, LAMPBLACK (SUSPECTED HUMAN  
CARCINOGEN BY ACGIH), BLACK

PEARLS  
CAS:1333-86-4  
RTECS #:FF5800000  
Fraction by Wt: 5-10%  
Other REC Limits:3.5 MG/CUM (NIOSH)  
OSHA PEL:3.5 MG/CUM  
ACGIH TLV:3.5 MG/CUM

Ingred Name:PROPENE POLYMERS, POLYPROPYLENE, POLYOLEFINE  
CAS:9003-07-4  
RTECS #:UD1842000  
Fraction by Wt: 1-5%

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE WHEN USED AS INTENDED IN A COPY

MACHINE. EYES & RESPIRATORY TRACT: IRRITATION IN HEAVY DUST  
CONDITIONS.

Explanation of Carcinogenicity:SEE INGREDIENTS.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. SKIN: WASH W/SOAP & WATER.  
EYES: FLUSH W/WATER. INGESTION: DRINK WATER. OBTAIN MEDICAL  
ATTENTION IN ALL CASES.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL,  
CO2  
Fire Fighting Procedures:COOL EXPOSED CONTAINERS W/WATER SPRAY. WEAR  
SCBA. AVOID INHALATION OF SMOKE.  
Unusual Fire/Explosion Hazard:CAN FORM EXPLOSIVE MIXTURES WHEN  
SUSPENDED IN AIR. AVOID IGNITION SOURCES.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:VACUUM OR SWEEP UP.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE NEXT TO OXIDIZERS.  
Other Precautions:AVOID EXCESSIV

E EXPOSURE TO HEAT. AVOID BREATHING  
DUST IF SAMPLE IS SPILLED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:REQUIRED FOR BULK HANDLING.  
Ventilation:LOCAL EXHAUST/MECHANICAL (GENERAL): NORMAL OFFICE  
CONDITIONS.  
Protective Gloves:AS REQUIRED  
Eye Protection:AS REQUIRED  
Other Protective Equipment:AS REQUIRED  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:1  
60F,71C  
Spec Gravity:1  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK POWDER, FAINT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AIR  
Stability Condition to Avoid:OPEN FLAME, IGNITION SOURCES.  
Hazardous Decomposition Products:UNSPECIFIED TOXIC DECOMPOSITION  
PRODUCTS FORMED ON COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:I/A/W LOCAL, STATE & FEDERAL REG  
ULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particu

lar situation.