

RAMCAR BATTERIES INC. -- LEAD ACID STORAGE BATTERY -- 6140-01-210-1964

===== Product Identification =====

Product ID:LEAD ACID STORAGE BATTERY

MSDS Date:05/01/1990

FSC:6140

NIIN:01-210-1964

MSDS Number: BSSKW

=== Responsible Party ===

Company Name:RAMCAR BATTERIES INC.

Address:2700 CARRIER AVE

City:COMMERCE

State:CA

ZIP:90040

Country:US

Info Phone Num:(213)-726-1212

Emergency Phone Num:(213)-726-1

212

CAGE:0W3X1

=== Contractor Identification ===

Company Name:RAMCAR BATTERIES INC

Address:2700 CARRIER AVE

Box:City:COMMERCE

State:CA

ZIP:90040

Country:US

Phone:213-726-1212

CAGE:0W3X1

===== Composition/Information on Ingredients =====

Ingred Name:SULFURIC ACID (SARA III) ELECTROLITE NO OTHER
INGREDIENTSARE SPECIFIED VIA MANUFACTURES MSDS.

CAS:7664-93-9

RTECS #:WS5600000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3; 9293

EPA Rpt Qty:1000 LBS

DO

T Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO
Health Hazards Acute and Chronic:CORROSIVE TO SKIN AND EYES ON CONTACT
Effects of Overexposure:ITCHING AND BURNING SENSATION
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures ==
=====

First Aid:(EYES/SKIN)-FLUSH W/RUNNING H2O FOR AT LEAST 15 MIN REMOVE
CONTAMINATED CLOTHING & GET MEDICAL ATTENTION IMMEDIATELY.
(INGESTION)-DO NOT INDUCE VOMITING, DRINK AS MUCH MILK OR H2O THAT
CAN BE TOLERATED W/OUT VOMITING AND GET MEDICAL ATTENTION.
(INHALATION)-IF INHALED REMOVE TO FRESH AIR AND GET MEDICAL
ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Extinguishing Media:AGENTS APPROVED FOR CLASS
B HAZARDS (E.G., DRY
CHEMICAL, CARBON DIOXIDE, HALOGENATED AGENTS, FOAM, STEAM) OR WATER
FOG.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. DO NOT USE WATER IN
CHARGING AREA.
Unusual Fire/Explosion Hazard:HYDROGEN GAS IS EMITTED DURING CHARGING
OF BATTERIES/ CORROSIVE ACTION OF METALS. HYDROGEN GAS HIGHLY
FLAMMABLE AND EXPLOSIVE. SULFURIC ACID IS NOT COMBUSTIBLE

===== Accidental Release Measures
=====

Spill Release Procedures:USE BAKING SODA (SODIUM BICARBONATE). LIME OR
SODA ASH TO NEUTRALIZE ACID
Neutralizing Agent:SODIUM BICARBONATE, LIME OR SODA ASH

===== Handling and Storage =====

Handling and Storage Precautions:STORE BATTERIES IN A COOL WELL
VENTILATED AREA. AVOID SPARKS WHEN DISCONNECTING OR CONNECTING
BATTERIES.
Other Precautions:WHEN HANDLING BATTERIES USE ACID PROOF GLOVES AND
SAFETY GLASSES, METAL TOOLS MU

ST NOT BE PLACED ON TOP OF
BATTERIES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:CONTACT LOCAL SAFETY/INDUSTRIAL HYGIENE OFFICE
TO DETERMINE IF RESPIRATORY PROTECTION IS REQUIRED
Ventilation:CONTACT LOCAL SAFETY/INDUSTRIAL HYGIENE OFFICE TO DETERMINE
IF EXHAUST VENTILATION IS ADEQUATE
Protective Gloves:ACID PROOF RUBBER GLOVES
Eye Protection:CHEMICAL SAFETY GLASSES
Other Protective Equipment:PROVIDE EMERGENCY EYEWASH AND SHOWER OR
SIMILAR FACALITY. ACID PROOF CLOTHING.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:230F,110C
Vapor Pres:78% -100%
Vapor Density:3.4 AIR=1
Spec Gravity:1.240 TO 1.275
Solubility in Water:YES 100%
Appearance and Odor:COLORLESS & ODORLESS

===== Stability and
Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
DO NOT STORE NEAR ORGANIC MATERIALS OF OXIDIZERS. DO NOT STORE NEAR OR
INTRODUCE SOURCES OF COMBUSTION.
Stability Condition to Avoid:OVERCHARGING AT HIGH TEMPERATURES AND
SPILLING
Hazardous Decomposition Products:HYDROGEN GAS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH ALL
APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

COORDINATE WITH

SUPPORTING INSTALLATION AND/OR MACOM ENVIRONMENTAL OFFICE PRIOR TO
DISPOSAL

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.