

KERR -- PUMICE -- 6505-00-550-6650

=====
===== Product Identification =====

Product ID:PUMICE
MSDS Date:05/06/1993
FSC:6505
NIIN:00-550-6650
MSDS Number: BTCJF
=== Responsible Party ===
Company Name:KERR
Address:28200 WICK RD
City:ROMULUS
State:MI
ZIP:48174-0908
Country:US
Info Phone Num:313-946-7800
Emergency Phone Num:313-946-7800
CAGE:GO270

==== Contractor Identification ====

Company Name:KERR
Address:
28200 WICK RD
Box:455
City:ROMULUS
State:MI
ZIP:48174-2623
Country:US
Phone:313-946-7800
CAGE:GO270
Company Name:KERR CORP
Address:1717 W COLLINS AVENUE
Box:City:ORANGE
State:CA
ZIP:92867-5422
Country:US
Phone:800-537-7187
CAGE:33339

=====
===== Composition/Information on Ingredients =====

Ingred Name:SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN
CARCINOGEN BY IARC, NTP)
CAS:14808-60-7
RTECS #:VV7330000
Fraction by Wt: 2%
Other REC Limits:0.05 MG/CUM NIOSH
ACGIH TLV

:0.1 MG/CUM RESP DUST

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: MAY CAUSE CHRONIC LUNG
INJURY (SILICOSIS), CAN BE PROGRESSIVE & MAY LEAD TO DEATH. SKIN:
DRY FEELING. EYES: TEMPORARY IRRITATION & INFLAMMATION.
Explanation of Carcinogenicity:NONE

=====
===== First Aid Measures =====
=====

First Aid:EYES: FLUSH W/COPIOUS AMOUNTS OF WATER. SKIN: WASH W/SOAP &
WATER. USE HAND LOTION. INHALATION: MOVE EXPOSED PERSON TO FRESH
AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:VACUUM/SWEEP UP-AVOID UNNECESSARY
STIRRING/HANDLING IN ORDRE TO PREVENT FORMATION OF DUST.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:KEEP CONTAINERS
CLOSED. USE ACCORDING TO DIRECTION.

Other Precautions:DON'T BREATHE DUST.

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protection:NIOSH-APPROVED EQUIPMENT. ALSO SEE ANSI STANDARD
Z88.2-1980, PRACTICES FOR RESPIRATORY PROTECTION.

Ventilation:USE SUFFICIENT LOCAL EXHAUST TO REDUCE THE LEVEL OF
RESPIRABLE CRYSTALLINE SILICA TO THE PEL.

Protective Gloves:REQUIRED

Eye Protection:GOGGLES

Work Hygienic Practices:HANDLE IN ACCORDANCE W/GOOD PERSONAL HYGIENE &

SAFETY PRACTICES. THESE PRACTICES INCLUDE AVOIDING UNNECESSARY,
EXPOSURE.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====
=====

Spec Gravity:2.35

Solubility in Water:INSOLUBLE

Appearance and Odor:GREY POWDER W/NO ODOR.

=====
===== Stability and Reactivity Data =====
=====

Stability Indicator/Materials to Avoid:YES
HYDROFLUORIC ACID

Hazardous Decomposition Products:MAY REACT W/HYDROFLUORIC ACID TO FORM
TOXIC SILICON

TETRAFLUORIDE GAS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. LANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.