View NSN Online: https://aerobasegroup.de/nsn/6850-00-999-1094

Product ID:NATRASORB M(CLAY)

MSDS Date:08/31/1988

FSC:6850

NIIN:00-999-1094

MSDS Number: BTGFY === Responsible Party ===

Company Name: MULTIFORM DESICCANTS INC

Address: 960 BUSTI AT NIAGARA ST

City:BUFFALO

State:NY

ZIP:14213-2101 Country:US

Info Phone Num:716-883-8900

Emergency Phone Num:716-883-8900

Preparer's Name: MSDS # 1302-78-9

CAGE:22627

=== Contractor Identification ===

Company Name: MULTISORB TECHNOLOGIES INC

Address:325 HARLEM ROAD

Box:City:BUFFALO

State:NY

ZIP:14224-1893 Country:US

Phone:716-824-8900

CAGE:22627

======= Composition/Information on Ingredients ========

Ingred Name: SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 2-6%

Other REC Limits: NONE RECOMME

OSHA PEL:SEE TABLE Z-3

ACGIH TLV:0.1 MG/M3 RDUST;9394

Ingred Name:BENTONITE (I

CAS:1302-78-9
RTECS #:CT9450000 Other REC Limits:NONE RECOMME
OSHA PEL:5 MG/M3 (RESP. DUST)
ACGIH TLV:10 MG/M3 (TOT. DUST)
======================================
LD50 LC50 Mixture:TCLO INHAL HUMAN=16 MPPCF/8H SILICA
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHAL:MAY CAUSE RESPIRATORY IRRITATION.PROLONGED EXPOSURE MAY CAUSE LUNG DAMAGE.SKIN:MAY CAUSE
IRRITATION.EYE:MAY CAUSE IRRITATION.INGEST:UNLIKELY ROUTE OF EXPOSURE.
Explanation of Carcinogenicity:CRYSTALLINE SILICA IS LISTED AS A POSSIBLE CARCINOGEN BY IARC.
Effects of Overexposure:INHAL:DRYNESS OF THE THROAT.
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING
RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.
======================================
First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:F LUSH
WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:GET PROMPT QUALIFIED MEDICAL ATT ENTION.
======================================
Flash Point:NONE
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER
SPRAY. Unusual Fire/Explosion Hazard:NO
NE
========= Accidental Release Measures ==========
Spill Release Procedures:AVOID RAISING DUST.CONTAIN SPILL;VACUUM OR
SCOOP UP AND PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.PRODUCT BECOMES SLIPPERY WHEN WET.
Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:AVOID RAISING DUST.PRODUCT BECOME SLIPPERY WHEN WET. Other Precautions:NONE
====== Exposure Controls/Personal Protec

NORGANIC CLAY)

tion =======

Respiratory Protection: USE A NIOSH APPROVED RESPIRATOR FOR RESPIRABLE DUST.

Ventilation: USE LOCAL EXHAUST.

Protective Gloves:NONE

Eye Protection: SAFETY GOGGLES WITH SIDE SHIELDS.

Other Protective Equipment: NONE

Work Hygienic Practices: USE REASONABLE CARE IN HANDLING THIS PRODUCT.

Supplemental Safety and Health

NONE

======== Physical/Chemical Properties ===========

HCC:T6
Spec Gravity:2.5
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GRANULES;GRA
Y TO OFF-WHITE;ODORLESS.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.