

GRAYMILLS CORP -- SUPER AGITENE-CLEANING COMPOUND -- 6850-00-274-5421

=====
Product Identification
=====

Product ID: SUPER AGITENE-CLEANING COMPOUND

MSDS Date: 02/05/1991

FSC: 6850

NIIN: 00-274-5421

MSDS Number: BTKQK

=== Responsible Party ===

Company Name: GRAYMILLS CORP

Address: 3705 N LINCOLN AVE

City: CHICAGO

State: IL

ZIP: 60613-3517

Country: US

Info Phone Num: 312-477-4100 / FAX 312-477-8673

Emergency

Phone Num: 312-477-4100/800-424-9300(CHEMTREC)

Preparer's Name: MR. SOBLE

CAGE: 26023

=== Contractor Identification ===

Company Name: GRAYMILLS CORP

Address: 3705 N LINCOLN AVE

Box: City: CHICAGO

State: IL

ZIP: 60613-3594

Country: US

Phone: 847-256-9975/FAX 847-256-9976

CAGE: 26023

=====
Composition/Information on Ingredients
=====

Ingred Name: HYDROTREATED LIGHT PETROLEUM DISTILLATE

CAS: 64742-47-8

Other REC Limits: NONE RECOMMENDED

Ingred Name: DIPROPYLENE GLYCOL METHYL ETHER

CAS: 34590-94

-8
RTECS #:JM1575000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 100 PPM
ACGIH TLV:S,100PPM/150 STEL;94

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >4000MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN:MAY CAUSE IRRITATION.EYES:MAY
CAUSE IRRITATION.INHAL:MAY CAUSE RESPIRATORY IRRITATION AND CNS
EFFECTS.INGEST:MAY CAUSE
GI TRACT IRRITATION.MAY CAUSE LUNG DAMAGE
IF VOMITED AFTER SWALLOWING.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.
Effects of Overexposure:INHAL:DIZZINESS,HEADACHE.
Medical Cond Aggravated by Exposure:PERSONS WITH SKIN OR RESPIRATORY
ALLERGIES MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH
WATER.USE A
LANOLIN CREAM.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO
FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO
NOT INDUC E VOMITING.GET PROMPT QUALIFIED MEDICALATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:110F,43C
Autoignition Temp:Autoignition Temp Text:450F
Lower Limits:0.6
Upper Limits:7
Extinguishing Media:CARBON DIOXIDE,FOAM,DRY CHEMICALS,WATER SPRAY(FOG).
Fire Fighting P
rocedures:USE A SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER
SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID.DRUM COULD RUPTURE
FROM HEAT OF FIRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT
ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIEL IN AN APPROPRIATE
CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.
Neutraliz

ing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:NOT BIODEGRADABLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL)

VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves:RUBBER OR BUNA

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:SOLVENT RESISTANT APRON.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt

:B.P. Text:318F,159C

Melt/Freeze Pt:M.P/F.P Text:NONE

Vapor Pres:10

Vapor Density:4.8

Spec Gravity:0.78

Evaporation Rate & Reference: