

BRAY OIL CO INC, RICHMOND PLANT -- WEAPON OIL -- 9150-00-753-4686

=====
Product Identification
=====

Product ID:WEAPON OIL

MSDS Date:06/01/1994

FSC:9150

NIIN:00-753-4686

MSDS Number: BTKRP

=== Responsible Party ===

Company Name:BRAY OIL CO INC, RICHMOND PLANT

Address:801 WHARF STREET

City:RICHMOND

State:CA

ZIP:94804-3557

Country:US

Emergency Phone Num:OUT OF BUSINESS

Preparer's Name:DGSC-SHH

CAGE

:33032

=== Contractor Identification ===

Company Name:BRAY OIL CO INC, RICHMOND PLANT

Address:801 WHARF STREET

Box:City:RICHMOND

State:CA

ZIP:94804-3557

Country:US

Phone:OUT OF BUSINESS

CAGE:33032

=====
Composition/Information on Ingredients
=====

Ingred Name:FOLLOWING LIST IS TAKEN FROM MIL-L-46000B.

RTECS #:9999999ZZ

Other REC Limits:NOT RELEVANT

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

Ingred Name:LITHIUM SOAP THICHENER

CAS:4485-12-5

RTECS #:WI4370000

Fraction by Wt:

7.7-8.3%

Ingred Name:BIS(2ETHYLHEXYL) SEBACATE (LUBRICANT GRADE)

CAS:122-62-3

RTECS #:VS1000000

Fraction by Wt: 88 - 90%

Ingred Name:DIISOPROPYL HYDROGEN PHOSPHATE

CAS:1809-20-7

RTECS #:SZ7660000

Fraction by Wt: 200F,>93C

Extinguishing Media:CARBON DIOXIDE, FOAM/DRY CHEMICAL. WATER/FOAM MAY CAUSE FROTHING & CAN BE DANGEROUS IF SPRAYED INTO HOT, BURNING LIQUID.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED

CONTAINERS

WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE DUE TO FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP OR ABSORB ON NON-FLAMMABLE MATERIAL. STORE IN CLOSED CONTAINERS PENDING DISPOSAL.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN AREA AWAY FROM EXTREME HEAT AND STRONG OXIDIZING MATERIAL.

Other Precauti

ons:DO NOT GET IN EYES. MINIMIZE SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES INCLUDING SHOES THAT CANNOT BE DECONTAMINATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED RE

SPIRATORY

PROTECTION (REFER TO 29 CFR 1910.134).

Ventilation:MECHANICAL (GENERAL) ACCEPTABLE, LOCAL EXHAUST IF NEEDED.

Protective Gloves:RUBBER OR PLASTIC RECOMMENDED

Eye Protection:SAFETY GLASSES RECOMMENDED

Other Protective Equipment:EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONA

LS OF DGSC-SHH WITHOUT ANY WARRANTY. IT IS THE USER'S

RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY TO PROTECT EMPLOYEES AND ENVIRONMENT.

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>200F,>93C

Spec Gravity: