

AMSCO SCIENTIFIC,DIVISION OF AMERICAN STERILIZER -- LIQUID DESCALER -- 6850-01-198-6633

=====
Product Identification
=====

Product ID:LIQUID DESCALER

MSDS Date:11/01/1992

FSC:6850

NIIN:01-198-6633

MSDS Number: BTKVM

=== Responsible Party ===

Company Name:AMSCO SCIENTIFIC,DIVISION OF AMERICAN STERILIZER

Address:1002 LUFKIN RD.

City:APEX

State:NC

ZIP:27502

Country:US

Info Phone Num:919-362-0842

Emer

gency Phone Num:919-362-0842

Preparer's Name:LORI HALLER

CAGE:JO507

=== Contractor Identification ===

Company Name:AMERICAN STERILIZER CO

Address:2424 W. 23RD ST

Box:City:ERIE

State:PA

ZIP:16514

Country:US

Phone:814-452-3100 / 814-870-8350

CAGE:02964

Company Name:AMSCO SCIENTIFIC

Address:1002 LUFKIN RD

Box:City:APEX

State:NC

ZIP:27902

Country:US

Phone:919-362-0842

CAGE:0T1E8

Company Name:AMSCO SCIENTIFIC

Address:1002 LUFKIN RD

Box:City:APEX

State:NC

ZIP:27902

Country:US

Phone:919-362-0842

CAGE:J

=====
Composition/Information on Ingredients
=====

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

Fraction by Wt: 50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3/3 STEL; 9394

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:GLYCOLIC ACID (HYDROXYACETIC ACID)

CAS:79-14-1

RTECS #:MC5250000

Fraction by Wt: 3%

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: BALANCE

Other

REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 1530MG/KG(H*3PO*4)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:CORROSIVE.MAY CAUSE SEVERE

BURNS.SKIN:CORROSIVE.MAY CAUSE SEVERE BURNS.INHAL:SEVERE IRRITANT
TO NOSE,THROAT AND LUNGS.INGEST:CORROSIVE.WILL CAUSE SEVERE BURNS
AND TISSUE DAMAGE TO T

HE MOUTH,THROAT,ESOPHAGUS AND STOMACH.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:INHAL:WILL CAUSE BURNING

SENSATION,COUGHING,WHEEZING,BRONCHITIS,PNEUMONITIS,PULMONARY EDEMA.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING

RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures
=====

First Aid:SKI

N:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE LARGE AMOUNTS OF WATER.

=====
Fire Fighting Measures
=====

Flash Point:NONE

Extinguishing Media:WATER FOG OR CARBON DIOXIDE.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:PRODUCT WILL NOT BURN,BUT MAY SPATTER IF HEATED ABOVE ITS BOILING POINT(275F).

=====
Accidental Release Measures
=====

Spill Release Procedures:SMOTHER WITH EXCESS LIME OR SODA ASH;SCOOP INTO AN APPROPRIATE LABELLED CONTAINER FOR DISPOSAL.

Neutralizing Agent:LIME,SODA ASH.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED

PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM ALKALIES,SULFIDES AND SULFITES.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves:NEOPRENE.

Eye Protection:SPLASH PROOF CHEMICAL GOGGLES.

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER,RUBBER BOOTS,ACID RESISTANT RUBBER SUIT.

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health
NONE

=====
Physical/Chemical Properties
=====

HCC:C1

Boiling Pt:B.P. Text:275F,135C

Vapor Pres:4

Vapor Density:3.4

Spec Gravity:1.361

Evaporation Rate & R

reference:>1

Solubility in Water:COMPLETE

Appearance and Odor:LIQUID;VIOLET;MILD CHARACTERISTIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

ALKALIS,SULFIDES,SULFITES.

Stability Condition to Avoid:TEMPERATURES ABOVE 275F.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,OXIDES OF PHOSPHOROUS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANC

E WITH FEDERAL,STATE AND

LOCAL REGULATIONS.IT HAS BEEN RECOMMENDED THAT EACH USER DEVELOP A SPILL PREVENTION PLAN(SPCC).

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.