

AMERICAN GAS AND CHEMICAL COMPANY,LTD -- LEAK-TEC OX-65C -- 6850-00-621-1819

=====
Product Identification
=====

Product ID:LEAK-TEC OX-65C

MSDS Date:10/31/1997

FSC:6850

NIIN:00-621-1819

MSDS Number: BTRPG

=== Responsible Party ===

Company Name:AMERICAN GAS AND CHEMICAL COMPANY,LTD

Address:220 PEGASUS AVENUE,

City:NORTHVALE

State:NJ

ZIP:07647-1904

Country:US

Info Phone Num:800-526-1008

Emergency P

hone Num:201-767-7300

Preparer's Name:GEORG KOSEL

CAGE:03530

=== Contractor Identification ===

Company Name:AMERICAN GAS AND CHEMICAL COMPANY,LTD

Address:220 PEGASUS AVENUE,

City:NORTHVALE

State:NJ

ZIP:07647-1904

Country:US

Phone:201-767-7300

CAGE:03530

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 60%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:C 50 PPM,VAPOR; 9394

EPA Rpt Qty:1 LB

DOT

Rpt Qty:1 LB

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION- NONE CONSIDERED LIKELY.
SKIN CONTACT-MILD IRRITANT. EYE CONTACT-MILD IRRITANT.
INGESTION-CAN BE TOXIC.
Explanation of Carcinogenicity:NONE REPORTED.
Effects of Overexposure:NONE REPORTED.
Medical Cond Aggravated by Exposure:NONE.

=====
===== First Aid Measures =====

First Aid:INHALATION-REMOVE FROM AREA. SKIN CONTACT- WASH WITH SOPA AND WATER. EYE CONTACT-FLUSH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION-INDUCE VOMITING IMMEDIATELY. CALL PHYSICIAN AND/OR TRANSPORT TO EMERGENCY FACILITY.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:USE ANY SUITABLE FOR SURROUNDING MATERIAL.
Fire Fighting Procedures:USE WATER TO COOL FIRE-EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER. SOAK UP WITH ABSORBENT MATERIAL. DIKE TO CONTAIN TO PREVENT WATER POLLUTION.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA. KEEP CONTAINERS CLOSED & PLAINLY LABELED. SHELF LIFE = 2 YRS.
Other Precautions:AVOID REPEATED OR PROLONGED CONTACT W/SKIN. DO NOT GET IN EYES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.
Ventilation:NONE SPECIFIED BY MANUFACTURER.
Protective Gloves:NON-ABSORBENT GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING.
Supplemental Safety and Health
AVOID R

REPEATED OR PROLONGED CONTACT WITH SKIN. DO NOT GET ON SKIN OR IN EYES.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:232F,111C

Vapor Pres:17.5 MM

Vapor Density:>1

Spec Gravity:1.09

pH:6-7.5

Evaporation Rate & Reference: